



Hotel and Commercial Space


Complete & Flexible Solution for Your Commercial Space





HOTEL APPLIANCES





UNISEC—Offer security and comfort for the guest

Uni-Sec's hotel safes fulfil all the requirements that need to be considered when selecting a hotel safe—they are operated intuitively, so your guest will not require an instruction before using them. The safes require no maintenance by hotel staff apart from when the batteries run out.

Uni-Sec's hotel safes are available in many sizes and with a large variety of features and fittings. Safes can be supplied with various locking system suited to any type of business, from a classic room safe for cupboard or cabinet installation to a top-opening safe for space-saving installation in a drawer. All models are easy to be operated with reliable quality and noiseless.



- New top open design
- Easy to operate with embedded handle
- Standard ADI keypad
- Optional combined with RF&NFC function
- Max. to 500pcs audit trail
- Motorized locking system
- Blue LCD display, keypad light and white inner Led Light
- With 2pcs high quality hydraulic rods
- Optional home, hotel or rental mode
- Suitable for drawer

» 1240DFS-T

EXT.SIZE(MM)	H127*W400*D350
EXT.SIZE(INCH)	H5*W15.75*D12.78
CAPACITY(L)	10
THICKNESS(MM)	1.5/2
N.W./G.W.(KG)	10/11
LOADING QTY.(PCS)	870/1770/2065

Blue LCD display Optional RF&NFC function Led light inside Embedded handle



» 2042DFS-L

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	11/12
LOADING QTY.(PCS)	630/1260/1485



Blue LCD display



Optional RF&NFC function




Led light inside



Optional Touch screen keypad





- Optional laser cut & top open design
- High quality cold rolled steel plate
- Easy Operate with ADI standard keypad
- Open & close with 3-6 digit
- White LCD display, keypad light and white inner Led Light
- Motorized locking system
- Last 200 pcs audit trial
- Low energy consumption
- Ready for wall, floor or cabinet mounting

The classic CAS room safe impresses with a stylish design and innovative opening options. This series also has white LCD display, keypad light and white inner Led Light, even in the dark is very easy to operate. The series is available in two designs, laser safe and top open safe, the user can choose the right style according to the design of the hotel to install in the cabinet or drawer.





» 2042CAS

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	12/13
LOADING QTY.(PCS)	630/1260/1485



Laser cut



White LCD display



Led light inside



20mm locking bolt

» 1340CAS-TOP

EXT.SIZE(MM)	H130*W400*D350
EXT.SIZE(INCH)	H5.12*W15.75*D13.78
CAPACITY(L)	13
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	12/13
LOADING QTY.(PCS)	870/1770/2065



White LCD display



Convenient handle



Led light inside



Optional wide-edge structure



» 2042EYF

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/4
N.W./G.W.(KG)	10/11
LOADING QTY.(PCS)	630/1260/1485



High matt finish



20mm locking bolt



» 1828EYF

EXT.SIZE(MM)	H180*W280*D200
EXT.SIZE(INCH)	H7.1*W11.03*D7.9
CAPACITY(L)	6
THICKNESS(MM)	1.5/4
N.W./G.W.(KG)	5.5/6
LOADING QTY.(PCS)	1680/3570/4284



» 2035EYF

EXT.SIZE(MM)	H200*W350*D270
EXT.SIZE(INCH)	H7.9*W13.8*D10.6
CAPACITY(L)	8
THICKNESS(MM)	1.5/4
N.W./G.W.(KG)	7.5/8
LOADING QTY.(PCS)	1020/2100/2310




» 1340ESP-TOP

EXT.SIZE(MM)	H130*W400*D350
EXT.SIZE(INCH)	H5.12*W15.75*D13.78
CAPACITY(L)	13
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	11/12
LOADING QTY.(PCS)	870/1770/2065



Wide-Edge Structure



Convenient handle



» 1828ESP

EXT.SIZE(MM)	H180*W280*D200
EXT.SIZE(INCH)	H7.1*W11.03*D7.9
CAPACITY(L)	6
THICKNESS(MM)	1.5/3
N.W./G.W.(KG)	5.5/6
LOADING QTY.(PCS)	1680/3570/4284



» 2042ESP

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/3
N.W./G.W.(KG)	10/11
LOADING QTY.(PCS)	630/1260/1485



» 2042EYT

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	11/12
LOADING QTY.(PCS)	630/1260/1485



» 1950EYT

EXT.SIZE(MM)	H190*W508*D380
EXT.SIZE(INCH)	H7.5*W20*D15
CAPACITY(L)	30
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	13/14
LOADING QTY.(PCS)	480/1040/1248



Silver frame design



20mm locking bolt



» 2031EYL

EXT.SIZE(MM)	H200*W310*D200
EXT.SIZE(INCH)	H7.9*W12.2*D7.88
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	6.5/7
LOADING QTY.(PCS)	1370/2830/3160



» USS-2042EYL

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	11/12
LOADING QTY.(PCS)	630/1260/1485





» 2042ERF

EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	12/13
LOADING QTY.(PCS)	630/1260/1485



» 2042EYS


EXT.SIZE(MM)	H200*W420*D370
EXT.SIZE(INCH)	H7.9*W16.55*D14.55
CAPACITY(L)	24
THICKNESS(MM)	1.5/5
N.W./G.W.(KG)	11/12
LOADING QTY.(PCS)	630/1260/1485

» UNI-SEC SERVICE UNIT

The Uni-Sec's service unit combined the function of emergency power, opening and audit trail. Up to 1000pcs record can be stored for each unit.

With the software provided from us, the audit trail can be read to the PC with room no.

The software will show the opening and closing records with the way and date. Meanwhile all the records can be printed out from the software.



Number	Room number	Date/Time	Open/Close	Method
1	0001	2013/01/01 01:01:01	Open	User Code
2	0001	2009/01/01 00:00:00	Open	User Code
3	0001	2008/01/01 12:58:38	Open	User Code
4	0001	2008/01/01 12:58:16	Close	User Code
5	0001	2008/01/01 12:58:20	HOLD	User Card
6	0001	2008/01/01 12:58:10	Close	User Code
7	0001	2008/01/01 12:58	HOLD	Emergency Power
8	0001	2008/01/01 12:55:53	Close	User Code
9	0001	2008/01/01 12:55:46	HOLD	CSU
10	0001	2008/01/01 12:55:33	Close	User Code
11	0001	2008/01/01 12:55:24	HOLD	Master Code!
12	0001	2008/01/01 12:55:15	Close	User Code
13	0001	2008/01/01 12:55:07	HOLD	User Code
14	0001	2008/01/01 12:54:47	Close	User Code
15	0001	2008/01/01 12:54:39	Open	CSU
16	0001	2008/01/01 12:55:54	Close	User Code
17	0001	2008/01/01 12:55:12	Open	User Code
18	0001	2008/01/01 12:55:03	Close	User Code
19	0001	2007/08/17 19:05:24	Close	User Code
20	0001	2007/08/17 19:05:01	Open	User Code
21	0001	2007/08/17 19:02:54	Close	User Code
22	0001	2007/08/17 19:02:38	Open	User Code
23	0001	2007/08/17 19:02:29	Close	User Code
24	0001	2007/08/17 19:02:09	Open	User Code
25	0001	2007/08/17 19:02:16	Close	User Code
26	0001	2007/08/17 19:01:56	Open	User Code
27	0001	2007/08/17 19:00:23	Close	User Code
28	0001	2007/08/17 19:00:09	Open	User Code
29	0001	2007/08/17 19:00:00	Close	User Code
30	0001	2007/08/17 19:05:48	Open	User Code
31	0001	2007/08/17 19:05:38	Close	User Code



Features

- Capsule bin with max accommodation of 10 used capsules
- NTC temperature control
- 19 Bar high pressure pump
- Patented brewing group & design
- Compatible capsules: Nespresso Compatable Capsules, Rios Cafe, Nestlé, Starbucks, ILLY, LVAZZA, LOR
- Color: Black/Red/Blue

Water Capacity: 0.8L
 Voltage: 220-240V~/120V~
 Power Cable: 1.15M
 Dimensions: W350xD100xH260MM

Rated Power:1260W
 Rated Frequency: 50Hz/60Hz
 G.W.: 3.8KG/PC
 Gife Box: W424xD155xH310MM

ST-503D-2e



Features

- ODE imported high pressure pump
- 6 capsules can be stored at one time
- Customize different cup option
- Adjustable cup height
- NTC temperature control
- Compatible capsules: Nespresso Compatable Capsules, Rios Cafe, Nestlé, Starbucks, ILLY, LVAZZA, LOR
- Color: Black/Red/White

Water Capacity: 0.6L
 Voltage: 220-240V~/120V~
 Power Cable: 1.0M
 Dimensions: W325xD90xH210MM

Rated Power: 1200W
 Rated Frequency: 50Hz/60Hz
 G.W.: 3.0KG/PC
 Gife Box: W350xD132xH285MM

GP100



AC-514K

Features

- Nespresso capsule system
- Prebrewing function
- Patented brewing group & design
- Detachable drip tray for easy cleaning, removable water tank
- Compatible capsules: Nespresso Compatible Capsules, Dolce Gusto Capsules, Coffee powder, Coffee pod, Lavazza A Modo Mio, Lavazza Blue, Caffitaly
- Color: Black/Red

Water Capacity: 0.6L
 Voltage: 220-240V~/110V~
 Power Cable: 0.9M
 Dimensions: W280xD115xH250MM

Rated Power:1450W/1250W
 Rated Frequency: 50Hz/60Hz
 G.W.: 3.48KG/PC
 Gife Box: W315xD143xH279MM



AC-513K

Features

- Short espresso/long nespresso with LED in white
- Stop automatically or manually
- Patented brewing group & design
- Indicating when ready to brew
- Compatible capsules: Nespresso Compatible Capsules, Dolce Gusto Capsules, Coffee powder, Coffee pod, Lavazza A Modo Mio, Lavazza Blue, Caffitaly
- Color: Black and silver

Water Capacity: 0.8L
 Voltage: 220-240V~/120V~
 Power Cable: 0.9M
 Dimensions: W312xD170xH295MM

Rated Power: 1250W/1450W
 Rated Frequency: 50Hz/60Hz
 G.W.: 4.03KG/PC
 Gife Box: W357xD170xH295MM



Features

- High-speed motor with 110,000r/min
- 23m/s large wind speed
- 200,000,000 negative ions
- 59dB acoustic noise reduction
- Hot, warm and cold air circulating
- 3 wind speed options, 3 temperature controlled options
- Motor protection/Overheat protection/Constant temperature detection/Wind blocking protection
- Color: Black/White

Rated Power: 1600-1800W

Voltage: 220-240V~/120V~

N.W.: 0.51KG/PC

Dimensions: W91xD69xH278MM

Rated Frequency: 50Hz/60Hz

Power Cable: 1.8M

Gife Box: W324xD165xH85MM

DF21



Features

- High-speed motor with 105,000r/min
- 16m/s large wind speed
- NTC temperature control
- Effectively sterilize with high concentration positive ion to improve scalp health
- Auto cleaning up by reverse cold wind blowing
- 2 wind speed options, 3 temperature controlled options
- Color: Gray/White

Rated Power: 1600W

Voltage: 220-240V~

Dimensions: W90xD73xH295MM

Rated Frequency: 50Hz/60Hz

N.W.: 0.38KG/PC

DF23



Features

- Foldable handle
- Auto adjusted temperature by temperature controlling technology
- 110,000r/min motor speed
- Auto cleaning up by reverse cold wind blowing
- 3 wind speed options, 3 temperature controlled options
- Anion care
- Overheating protection for 30mins
- Color: Black/Red/Blue

Rated Power: 1500W/1400W

Voltage: 220-240V~/120V~

G.W.: 1.24KG/PC

Dimensions: W206xD42xH206MM (Open)

W206xD52xH86MM (Folded)

Rated Frequency: 50Hz/60Hz

Power Cable: 1.9M

Gife Box: W319xD188xH32.5MM

aska001



Features

- 360° magnetic ironing tuyere apparatus and anti-scald nozzle
- High torque and high speed
- Double-layer structure and low surface temperature for thermal insulation effectively
- $6\text{cm} \geq 13\text{m/s}$ wind speed, 12L/s greater air volume
- $22000\text{r/min} \pm 1500$ motor speed
- 2 wind speed options, 3 temperature controlled options
- Overheating protection
- Spray oil (through paint) surface
- Color: Gray/White

Rated Power: 1400-1600W/1200-1400W
 Voltage: 220-240V~/125V~
 G.W.: 0.68KG/PC
 Gife Box: W100xD80xH260MM

Rated Frequency: 50Hz/60Hz
 Power Cable: 1.8M
 Dimensions: W146xD75xH195MM



RM-DF11

Features

- Small and portable use
- DC motor with high torque and high speed
- $6\text{cm} \geq 11\text{m/s}$ air flow speed, 14L/s greater blasting capacity for fast dry
- Overheating protection to automatically power off
- 2 wind speed options
- 3 temperature controlled options
- Color: Gray/White

Rated Power: 1800-2000W/1600-1875W
 Voltage: 220-240V~/125V~
 G.W.: 0.58KG/PC
 Gife Box: W140xD75xH260MM

Rated Frequency: 50Hz/60Hz
 Power Cable: 1.8M
 Dimensions: W165xD70xH190MM



RM-DF15

Features

- Foldable handle optimizes storage space
- 2000W strong wind and high-speed rotation bring fast drying
- High concentration of negative ions reduce static electricity effectively and make hair soft and smooth
- Intelligent temperature control protection can automatically power off when overheated while reworking automatically when cooling
- Two gears and one-key to get cold air
- Shape hair with nozzle at will
- Color: Gray/White

Rated Power: 1800-2200W/1600W

Voltage: 220-240V~/120V~

G.W.: 0.6KG/PC

Gife Box: W140xD86xH270MM (open)

W240xD80xH290MM (folded)

Rated Frequency: 50Hz/60Hz

Power Cable: 1.8M

Dimensions: W240xD80xH290MM



HD-8010

Features

- Famous brand DC motor with high torque and high speed
- Slim and comfortable handle, easy to use and store
- Optimized design of fan pages and air ducts, effectively mute and comfortable to use
- Overheating protection
- 2 wind speed options and 2/3 temperature controlled options
- Micro switch
- Color: Black/White

Rated Power: 1600W/1800W

Voltage: 100-127V~/220-240V~

Dimensions: W260xD850xH240MM

Rated Frequency: 50Hz/60Hz

G.W.: 1.0KG/PC

Gife Box: W250xD115xH190MM



D158

Features

- With shaver sockets: dual voltage(110V~/220V~)
- Famous brand DC motor with high torque and high speed
- Wall-mounted
- More concentrated wind and high efficient drying coming from pressurized wind-gathering outlet
- Overheating protection
- 2 wind speed options and 2/3 temperature controlled options
- Micro safety switch
- Color: Black/White

Rated Power: 1600W/1800W

Voltage: 100-127V~/220-240V~

Dimensions: W225xD145xH250MM

Rated Frequency: 50Hz/60Hz

G.W.: 1.42KG/PC

Gife Box: W270xD115xH218MM



RCY-67588B



Features

- Fashionable appearance and color
- Separate but stable base, which will not make it shake when boiling water
- Food grade SUS304 stainless steel and spray paint craftsmanship
- Auto power off, boil-dry protection
- Color: Black/Gray/Beige

Water Capacity: 0.7L
Voltage: 220-240V~/120V~
Power Cable: 0.75M
Dimensions: W214xD168xH260MM

Rated Power: 800-1000W
Rated Frequency: 50Hz/60Hz
G.W.: 2.37KG/PC
Gife Box: W220xD195xH220MM



EKS07229B-1

Features

- Double-layer design
- SUS304 stainless steel integrated seamless liner
- Water-gathering ring design of upper cover for anti-scalding
- Automatic power-off
- Visible heating indicator
- Color: Black/Gray

Water Capacity: 1.0L
Voltage: 220-240V~
Power Cable: 0.8M
Dimensions: W197.5xD148xH205MM

Rated Power: 1350W
Rated Frequency: 50Hz/60Hz
N.W.: 0.9KG/PC

LL-8877



Features

- Whole body colored steel and spring cover
- Double-layer design
- Water-gathering ring design of upper cover for anti-scalding
- Automatic power-off
- Visible heating indicator
- SUS304 stainless steel integrated seamless liner
- Color: Black/Stainless steel color

Water Capacity: 1.0L
Voltage: 220-240V~/110V~
Power Cable: 0.8M
Dimensions: W204xD137xH221MM

Rated Power: 1000W
Rated Frequency: 50Hz/60Hz
G.W.: 1.26KG/PC
Gife Box: W195xD195xH235MM

LL-8865



Features

- Double-layer pot body
- SUS304 inner pot and stainless steel cover
- Outer housing: PP
- High quality temperature controller
- Dry burning protection
- Automatic switch, one body forming
- Color: Black/White

Water Capacity: 0.8L
Voltage: 220-240V~/110V~
Power Cable: 0.8M
Dimensions: W202.2xD136.7xH201.1MM

Rated Power: 1000W
Rated Frequency: 50Hz/60Hz
G.W.: 1.14KG/PC
Gife Box: W195xD195xH215MM

LL-8860





Features

- Double-layer pot body
- 304 food grade stainless steel seamless liner
- Be with water level window
- Automatic/manual switch off
- Separate base and 360°cordless operation to allow removal and replacement from any angle
- Color: Black

Water Capacity: 1,0L
Voltage: 220-240V~
Power Cable: 0,7M
Dimensions: W206xD143xH198MM

Rated Power:1800-2200W
Rated Frequency: 50Hz/60Hz
N.W: 0,9KG/PC
Gift Box: W180xD180xH210MM



LL-8710D

Features

- Real-time and instant temperature display
- UK STRIX thermostat
- 0,5mm thickened SUS304 stainless steel
- Anti-scalding silicone pad
- Automatic power-off
- 360 degrees rotating base, free rotation to add water in any direction
- Color: Silver grey/White

Water Capacity: 1,2L
Voltage: 220-240V~110V~
Power Cable: 0,8M
Dimensions: W230xD170xH230MM

Rated Power: 1350-1600W/1000W
Rated Frequency: 50Hz/60Hz
G.W: 1,42KG/PC
Gift Box: W200xD190xH220MM



GL-B04E5B



Features

- Double ABS material, SUS304 on four sides
- For kettle: LL-8860/LL-8865
- Dimensions: W458xD228xH38MM
- Color: Black/Gray



AKT-K

Features

- Double ABS material, SUS304 on four sides
- For kettle: LL-8860/LL-8865
- Dimensions: W388xD188xH38MM
- Color: Black/Gray



AKT-L



Features

- Warming up quickly in 30s is almost no need to wait
- Usage includes both flat and hanging ironing
- Aluminum alloy ironing panel
- Secondary heating technology
- Super large amount of steam
- Automatically power off when no operation for 10 minutes
- Automatic cleaning function
- Overheating protection
- Color: White

Water Capacity: 150ML
Voltage: 220-240V~/120V~
Power Cable: 2.0M
Dimensions: W185.5xD94xH225MM(Open)
W222xD94xH122MM(Folded)

Rated Power: 1200W
Rated Frequency: 50Hz/60Hz
N.W.: 0.93KG/PC
Gift Box: W295xD235xH115MM



GT001

Features

- Smart steam motion sensor auto cut-off
- Ceramic soleplate
- Adjustable thermostat control
- Variable steam control
- Overheating safety protection
- LED ready indicator
- 3 way automatic shut-off
- Anti-calcium systems
- Color: Black/Light gray and white

Water Capacity: 320ML
Voltage: 220-240V~/120V~
Power Cable: 1.9M
Dimensions: W291xD127xH158MM

Rated Power: 2000W/1200W
Rated Frequency: 50Hz/60Hz
G.W.: 1.35KG/PC
Gift Box: W307xD130xH160MM



SW-605

Features


- Smart steam motion sensor auto cut-off
- Ceramic soleplate
- Adjustable thermostat control
- Variable steam control
- Overheating safety protection
- LED ready indicator
- 3 way automatic shut-off
- Anti-calcium systems
- Color: Light gray and white

Water Capacity: 300ML
Voltage: 220-240V~/120V~
Power Cable: 1.8M
Dimensions: W298xD118xH150MM

Rated Power: 2000W
Rated Frequency: 50Hz/60Hz
G.W.: 1.35KG/PC
Gift Box: W307xD130xH160MM



SW-301


Model
1338

Size
G.W.
Master Carton
Color

W305xL1230MM
3.5KG/PC
W1240xD240xH330MM
Black

TCL-D

L330xW140xH110MM
0.67KG
W845xD343xH306MM
Black/White

Features

- LED display with 4-6 digit user codes & 6 digit manage code
- Management setting system: master code, master key and handheld decoder(CEU)
- Can be fixed to floor or wall
- Accommodate 15" laptop (can also be customized to the size for 17" laptop)
- Latest 200 entries audit trail
- Illuminated ADA compliant with blue backlight keypad
- External backup power interface
- Four wrong code attempts
- Low battery indicator


Model
K-FG005B

Dispaly
Size (WxDxH)
N.W./G.W.
Color

LED
400x350x127MM
10.5/11.5KG
Gray/Black

K-FG001

LED
400x350x145MM
11.5/12.3KG
Gray/Black

K-FGM800

LED
400x350x145MM
11.6/12.4KG
Gray/Black



Model	K-JG003	K-BE003	K-JG001
Display	LED	LED	LED
Size (WxDxH)	420x380x200MM	480x395x230MM	420x380x200MM
N.W/G.W	11.5/12.5KG	11.5/12.5KG	12.6/13.6KG
Color	Gray/Black	Gray/Black	Gray/Black



Model	K-JG002	K-BE100	K-BE200
Display	LED	LCD	LED
Size (WxDxH)	420x380x200MM	420x380x200MM	420x380x200MM
N.W/G.W.	12.6/13.6KG	11.2/12.2KG	11.2/12.2KG
Color	Gray/Black	Gray/Black	Gray/Black



Model	K-BE800	K-BE200H	K-DR200
Display	LED	LED	LED
Size (WxDxH)	420x380x200MM	400x360x500MM	480x395x230MM
N.W/G.W.	12.1/13.2KG	22.5/24.7KG	22/23KG
Color	Gray/Black	Gray/Black	Gray/Black



Model	DT-01	DT-02
Size (WxDxH)	152x86x34MM	130x64x28MM
Power Cable	720M	430MM
Color	Gray	Black



Features of Absorption Minibar

- No compressor, no noise, suitable for quiet place such as hotels and hospitals
- No freon, no need to add refrigerants, environmental friendly
- No mechanical movement in cooling parts, long life
- Overhead lighting design; adjustable left/right door and shelves
- Using electronic thermostat & IC chip control, auto defrost once a day without artificial defrost troubles
- With a special energy-saving function: using a precise time cycle system to control load operation, saving 17 % power consumption per day
- All structure use imported materials, easy repair and maintenance



Model	M-25A	M-30A	M-40A	M-50A
Volume	25L	30L	40L	50L
Rated Power	60W	60W	60W	60W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	400x385x490MM	400x420x490MM	400x440x550MM	400x440x665MM
N.W/G.W.	14/15KG	14.5/15.5KG	17/18.5KG	18.2/20KG
Color	Gray/Black	Gray/Black	Gray/Black	Gray/Black



Model	M-25T	M-30T	M-40T
Volume	25L	30L	40L
Rated Power	60W	60W	60W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	400x370x493MM	400x410x493MM	400x425x553MM
N.W./G.W.	15.5/16.5KG	16.5/17.5KG	18/19.5KG
Color	Gray/Black	Gray/Black	Gray/Black



Model	M-25B	M-30B	M-40B
Volume	25L	30L	40L
Rated Power	60W	60W	60W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	400x370x493MM	400x410x493MM	400x425x553MM
N.W./G.W.	15.5/16.5KG	16.5/17.5KG	18/19.5KG
Color	Gray/Black	Gray/Black	Gray/Black





Model	M-22BA	M-22BC
Volume	20L	20L
Rated Power	60W	60W
Voltage	220-240V~/110V~	220-240V~/110V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	360x353x400MM	360x347x440MM
N.W./G.W.	7.2/8.1KG	9.5/10.4KG
Color	Black	Black



Model	M-30BA	M-30BC
Volume	30L	30L
Rated Power	60W	60W
Voltage	220-240V~/110V~	220-240V~/110V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	380x385x466MM	380x385x466MM
N.W./G.W.	7.8/8.7KG	10.1/11.2KG
Color	Black	Black



Model	M-40BA	M-40BC
Volume	40L	40L
Rated Power	60W	60W
Voltage	220-240V~/110V~	220-240V~/110V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	430x410x501MM	430x410x501MM
N.W./G.W.	8.9/10KG	11.8/12.8KG
Color	Black	Black



Model	CB-21SA	CB-45SA
Volume	21L	45L
Rated Power	60W	60W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	385x455x375MM	490x455x425MM
N.W./G.W.	9.4/10.4KG	15.5/17KG
Color	Gray/Black	Gray/Black



Model	CB-20SA	SC-20SA
Volume	20L	20L
Rated Power	58W	58W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	360x390x440MM	360x385x440MM
N.W./G.W.	8.5/9.3KG	10/11KG
Color	Black	Black



Model	CB-30SA	SC-30SA
Volume	30L	30L
Rated Power	58W	58W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	385x420x475MM	385x420x485MM
N.W./G.W.	10/11.1KG	11.4/12.4KG
Color	Black	Black



Model	CB-40SA	SC-40SA
Volume	40L	40L
Rated Power	58W	58W
Voltage	220-240V~/110-120V~	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Size (WxDxH)	400x425x560MM	400x420x570MM
N.W./G.W.	11.8/13KG	14/15.2KG
Color	Black	Black



Features

- Self-generating system without battery
- ABS+ architectural grade tempered glass
- High-precision four-corner sensor which is accurate to 0.1KG
- Comfortable large scale surface, high-definition LCD display
- Auto power off / power on on the scale / overload prompt / auto zero
- Humanized design, large rounded corners
- Color: Dark gray/White

Material: ABS+tempered glass
Weighing Range: 3KG-180KG
Dimensions: W302xD302xH25MM

Battery: No battery
G.W: 1.82KG/PC
Master Carton: W332xD332xH278MM



CW300

Features

- High precision sensor system with precision being 0.05kg
- Integral body to open and close without screw exposed for being durable and long service life16.2mm thin scale body with lower center of gravity and being more stable when weighing
- Clear LCD digital display with soft white backlight, making it still clear under the low light anodark environment
- Auto power off/on
- Overload/Low battery prompt

Material: ABS+board fireproofing
Weighing Range: 3KG-150KG
Dimensions: W276xD276xH16.2MM

Battery: 2x3V CR2032
G.W: 1.37KG/PC
Master Carton: W310xD285xH315MM



CW276

Features

- Full ABS covered base + tempered glassInvisible LED display
- 4 high sensitive sensor
- Intelligent automatic switch ON/OFF
- Integrated weighing surfaceLight weight, compact and simple
- Four-point force
- Humanized appearance design
- Color: Black/White

Material: ABS+tempered glass
Weighing Range: 5KG-180KG
Dimensions: W300xD300xH24MM

Battery: 4x1.5V AAA
G.W: 1.5KG/PC
Master Carton: W445xD400xH360MM



CW269



Electric Kettle / Tea Ceremony Electric Kettle



KH888
Light Black



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



Variable frequency heating technology, shorten the boiling time, low noise



Strix International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Double wall structure: high anti-scalding effect



KH888
Grey& White



Water temperature display, Boiling whistle reminder




Movable carrying handle, easy to add water



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Touch button, three preset temperature can be selected



Product Type: Electric Kettle
Product Model: KH888
Power: 1350W
Capacity: 0.6L
Thermostat: STRIX
General colors: Grey& White,Light Black

Weight: 1. 28KG
Product specifications: 205*105*238mm
Packing quantity: 12
Outer box specifications: 560*412*370mm
Gross weight of the whole box: 16. 4KG
Net weight of the whole box: 15. 5KG



Electric Kettle / Tea Ceremony Electric Kettle



JK38
Ivory



JK38
Light Black



JK38
Grey & White



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



Variable frequency heating technology, low noise, reduce boiling water splashing



Double wall structure: high anti-scalding effect



Slim spout, antique design, smooth pouring




Movable carrying handle (JK38), easy to add water



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Strix
International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Product Type: Electric Kettle
Product Model: JK38
Power: 1350W
Capacity: 0.6L
Thermostat: STRIX
General colors: Ivory, Light Black, Grey& White

Weight: 1.2KG
Product specifications: 213*138*230mm
Packing quantity: 12
Outer box specifications: 560*412*370mm
Gross weight of the whole box: 15.4KG
Net weight of the whole box: 14.4KG

Electric Kettle / Tea Ceremony Electric Kettle



KH885
Ivory

KH885
Grey & White

KH885
Light Black



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



Variable frequency heating technology, shorten the boiling time, low noise



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Double wall structure: high anti-scalding effect



Water temperature display, Boiling whistle reminder



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Touch button, three preset temperature can be selected



Product Type: Electric Kettle
Product Model: KH885
Power: 1350W
Capacity: 0.8L
Thermostat: STRIX
General colors: Ivory, Light Black, Grey & White

Weight: 1. 35KG
Product specifications: 252*150*210mm
Packing quantity: 12
Outer box specifications: 560*412*400mm
Gross weight of the whole box: 17. 4KG
Net weight of the whole box: 16. 3KG

Electric Kettle / Tea Ceremony Electric Kettle



JK37
Ivory

JK37
Grey & White

JK37
Light Black



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



Variable frequency heating technology, low noise, reduce boiling water splashing



Double wall structure: high anti-scalding effect



Slim spout, antique design, smooth pouring



Hidden temperature sensing probe, eliminate steam hole, easy to clean



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Product Type: Electric Kettle
Product Model: JK37
Power: 1350W
Capacity: 0.8L
Thermostat: STRIX
General colors: Ivory, Light Black, Grey & White

Weight: 1. 27KG
Product specifications: 213*138*230mm
Packing quantity: 12
Outer box specifications: 560*412*370mm
Gross weight of the whole box: 16. 4KG
Net weight of the whole box: 15. 3KG

Electric Kettle / Double Wall Electric Kettle



KH887
Deep Grey



KH887
Grey& White



KH887
Light Black



Electronic temperature control technology, auto power off, reduce scale and water vapor formation




Variable frequency heating technology, shorten the boiling time, low noise



Double wall structure: high anti-scalding effect



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Product Type: Electric Kettle
Product Model: KH887
Power: 1350W
Capacity: 0.8L
Thermostat: STRIX
General colors: Deep Grey, Light Black, Grey& White



The stainless steel inner body is formed in one piece



Matt finish, scratch proof



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard





Electric Kettle / Double Wall Electric Kettle



KH883
Black



KH886
Grey & White



KH886
Light Black



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



Double wall structure: high anti-scalding effect



Hidden temperature sensing probe, eliminate steam hole, easy to clean



The stainless steel inner body is formed in one piece



Plastic matte surface, can effectively reduce scratch marks



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Product Type: Electric Kettle
Product Model: KH883/KH886
Power: 1000W/1000W
Capacity: 1.0L/1.0L
Thermostat: STRIX/STRIX
General colors: Black, Grey & White, Light Black

Weight: 1.15KG/1.08KG
Product specifications: 213*138*230mm
Packing quantity: 12
Outer box specifications: 560*412*370mm
Gross weight of the whole box: 14.9KG/13.9KG
Net weight of the whole box: 13.85KG/13.0KG



Electric Kettle / Double Wall Electric Kettle



KH866
Ivory



KH866
Black



KH866
Light Black



KH866
Grey & White



Electronic temperature control technology, auto power off, reduce scale and water vapor formation



The stainless steel inner body is formed in one piece



Double wall structure: high anti-scalding effect



Plastic matte surface, can effectively reduce scratch marks



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Strix
International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Product Type: Electric Kettle
Product Model: KH866
Power: 1350W
Capacity: 1.0L
Thermostat: STRIX
General colors: Ivory, Light Black, Black, Grey & White

Weight: 1.07KG
Product specifications: 196*142*198mm
Packing quantity: 12
Outer box specifications: 530*370*460mm
Gross weight of the whole box: 13.9KG
Net weight of the whole box: 13.0KG



Electric Kettle / Double Wall Electric Kettle



KH877
Black



KH877
Ivory



Hidden Temperature
sensing probe



1.2L large capacity, 1800W,
four minutes



Hidden temperature sensing
probe, eliminate steam hole,
easy to clean



Water level window and filter



International brand STRIX
thermostat, triple safety
protection, high-end electric
kettle standard



Double wall structure: high
anti-scalding effect



The steel castle is formed in
one piece



Product Type: Electric Kettle
Product Model: KH877
Power: 1800W
Capacity: 1.2L
Thermostat: STRIX
General colors: Black, Ivory

Weight: 1.32KG
Product specifications: 210*150*220mm
Packing quantity: 12
Outer box specifications: 560*365*496mm
Gross weight of the whole box: 16.8KG
Net weight of the whole box: 15.8KG



Electric Kettle / Double Wall Electric Kettle



KH868
Stainless Steel



KH868
Black



KH868
Golden



Double wall structure: high
anti-scalding effect


Strix



The stainless steel inner
body is formed in one piece



Metal surface: stainless
steel



Product Type: Electric Kettle
Product Model: KH868
Power: 1350W
Capacity: 0.8L
Thermostat: STRIX
General colors: Stainless steel, Black, Golden

Weight: 1.1KG
Product specifications: 188*150*200mm
Packing quantity: 12
Outer box specifications: 523*364*443mm
Gross weight of the whole box: 14.2KG
Net weight of the whole box: 13.25KG

Electric Kettle / Double Wall Electric Kettle



KH852
Black



KH852
Grey& White



KH852
Golden



KH852
Stainless Steel



JK21
Golden



JK21
Stainless Steel



JK21
Black



Double wall structure: high anti-scalding effect



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



The stainless steel inner body is formed in one piece



Metal surface: stainless steel



Double wall structure: high anti-scalding effect




International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



The stainless steel inner body is formed in one piece




Metal surface: stainless steel



Product Type: Electric Kettle
Product Model: KH852
Power: 1000W
Capacity: 0.6L
Thermostat: STRIX
General colors: Stainless steel, Black, Golden, Grey& White

Weight: 1.0KG
Product specifications: 190*135*180mm
Packing quantity: 12
Outer box specifications: 508*360*402mm
Gross weight of the whole box: 12.9KG
Net weight of the whole box: 11.0KG



Product Type: Electric Kettle
Product Model: JK21
Power: 1000W
Capacity: 1.2L
Thermostat: STRIX
General colors: Stainless steel, Black, Golden

Weight: 1.32KG
Product specifications: 105*158*220mm
Packing quantity: 12
Outer box specifications: 560*375*470mm
Gross weight of the whole box: 16.5KG
Net weight of the whole box: 15.5KG



Electric Kettle / Double Wall Electric Kettle



JK26
Ivory



JK26
Black



Double wall structure: high anti-scalding effect

Strix

International brand STRIX
thermostat, triple safety
protection, high-end electric
kettle standard



The stainless steel inner
body is formed in one piece



Big pot design makes cleaning
easier



Product Type: Electric Kettle
Product Model: JK26
Power: 1000W
Capacity: 1.0L
Thermostat: STRIX
General colors: Black, Ivory

Weight: 1.32KG
Product specifications: 105*158*220mm
Packing quantity: 12
Outer box specifications: 560*375*470mm
Gross weight of the whole box: 16.5KG
Net weight of the whole box: 15.5KG

Electric Kettle / Double Wall Electric Kettle



KH825
Black



KH825
Ivory



KH825
Deep Grey

Electric Kettle / Double Wall Electric Kettle



KH826
Black



KH826
Ivory



KH826
Grey & White



Double wall structure: high anti-scalding effect



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



The stainless steel inner body is formed in one piece



Big pot design makes cleaning easier



Double wall structure: high anti-scalding effect



International brand STRIX thermostat, triple safety protection, high-end electric kettle standard



Product Type: Electric Kettle
Product Model: KH825
Power: 800W
Capacity: 0.6L
Thermostat: STRIX
General colors: Ivory, Black, Deep Grey

Weight: 0.85KG
Product specifications: 175*110*190mm
Packing quantity: 16
Outer box specifications: 508*360*402mm
Gross weight of the whole box: 14.55KG
Net weight of the whole box: 13.65KG



Product Type: Electric Kettle
Product Model: KH826
Power: 800W
Capacity: 0.6L
Thermostat: STRIX
General colors: Black, Ivory, Grey & White

Weight: 0.85KG
Product specifications: 175*110*190mm
Packing quantity: 16
Outer box specifications: 508*360*402mm
Gross weight of the whole box: 14.55KG
Net weight of the whole box: 13.65KG

Electric Kettle / Double Wall Electric Kettle



JK30 + JF329 Tray



JK30
Grey& White



Double wall structure: high anti-scalding effect



The stainless steel inner body is formed in one piece



Hidden temperature sensing probe, eliminate steam hole, easy to clean



Big pot design makes cleaning easier



Product Type: Electric Kettle
Product Model: JK30
Power: 800W
Capacity: 0.6L
Thermostat: Jiatai
General colors: Grey& White

Weight: 0.95KG
Product specifications: 188*130*190mm
Packing quantity: 12
Outer box specifications: 523*364*443mm
Gross weight of the whole box: 12. 6KG
Net weight of the whole box: 11. 7KG



Electric Kettle / Single Wall Electric Kettle



JK-2
Black

Strix

International brand STRIX
thermostat, triple safety protection,
high-end electric kettle standard



Food-grade plastic, no plastic
odor



Hidden temperature sensing probe,
eliminate steam hole, easy to clean



Big pot design makes cleaning
easier



Product Type: Electric Kettle
Product Model: JK-2
Power: 1355W
Capacity: 1.0L
Thermostat: STRIX
General colors: Ivory, Black, Deep Grey

Weight: 0.9KG
Product specifications: 210*195*150mm
Packing quantity: 16
Outer box specifications: 508*360*402mm
Gross weight of the whole box: 14.55KG
Net weight of the whole box: 13.65KG

Electric Kettle / Single Wall Electric Kettle



JK-5
Stainless Steel



JK-6
Stainless Steel



JK-7
Stainless Steel



JK-15
Stainless Steel

Strix

International brand STRIX
thermostat, triple safety protection,
high-end electric kettle standard



Hidden temperature sensing
probe, eliminate steam hole,
easy to clean



The stainless steel inner
body is formed in one piece



Food-grade 304 stainless
steel, health and hygiene

Product Type	Product Model	Power	Capacity	Thermostat	General colors	Weight	Product specifications	Packing quantity
Electric Kettle	JK-5	1500W	1.0L	Strix	Stainless steel	0.9KG	210*195*150mm	12
Electric Kettle	JK-6	1500W	1.0L	Strix	Stainless steel	1.0KG	210*210*155mm	12
Electric Kettle	JK-7	1500W	1.0L	Strix	Stainless steel	1.0KG	210*210*155mm	12
Electric Kettle	JK-15	1000W	0.6L	Strix	Stainless steel	0.75KG	195*110*80mm	16



Telephone / Bathroom and Bedside Telephone



KT96C



KT96C
Black



KT96T
Black



KT96B
Black



KT96C
Grey& White



KT96T
Grey& White



KT96B
Grey& White



Select high quality components to improve the stability of the product



Hands-free circuit using IC, integrated chip clear call



Epoxy resin board circuit board to enhance moisture and shock resistance



Key text secondary injection, never wear out



Using SMT chip processing, stable performance and low maintenance rate



Crystal head thickening gold plating, enhance the stability of the call

Product Type	Product Model	Product specifications	General colors	Packing quantity	Outer box specifications	Gross weight of the whole box
Telephone	KT96B	118*198*113mm	Grey& White Black	16	450*280*350mm	23KG
Bathroom	KT96C	222*66*110mm	Grey& White Black	24	478*328*310mm	12.5KG
Bedside Telephone	KT96T	L222*W66mm	Grey& White Black	30	470*375*255mm	18KG



Telephone / Bathroom and Bedside Telephone



KT98T
Grey& White



KT98B
Grey& White



KT98T
Black



KT98B
Black



KT98T
Dark Green



KT98B
Dark Green

Product Type	Product Model	Product specifications	General colors	Packing quantity	Outer box specifications	Gross weight of the whole box
Bathroom	KT98T	68*212*mm	Grey& White Light Black Dark Green	19	440*380*285mm	19KG
Bedside Telephone	KT98B	L212*W68	Grey& White Light Black Dark Green	30	440*387*285mm	18KG

Telephone / Bathroom and Bedside Telephone



KT97B
Black



KT97B
Grey& White

Telephone / Bedside Telephone



KT86
Black



KT86
Grey& White



KT97T
Black



KT97T
Grey& White



KT83
Black




KT83
Grey& White

Product Type	Product Model	Product specifications	General colors	Packing quantity	Outer box specifications	Gross weight of the whole box
Bedside Telephone	KT97T	215*90*75mm	Grey& White Light Black	30	440*387*285mm	12.8KG
Bathroom	KT97B	L212*W68	Grey& White Light Black	16	480*460*305mm	15.7KG

Product Type	Product Model	Product specifications	General colors	Packing quantity	Outer box specifications	Gross weight of the whole box
Bedside Telephone	KT86	160*225*92mm	Grey& White Light Black	16	496*485*312mm	16.4KG
Bathroom	KT83	160*220*85mm	Grey&White Light Black	16	480*460*305mm	15.7KG



Telephone / Bathroom Telephone



KT61
Grey&White



KT62
Grey&White

Product Type	Product Model	Product specifications	General colors	Packing quantity	Outer box specifications	Gross weight of the whole box
Bedside Telephone	KT61	90*198*30mm	Grey& White	32	455*399*189mm	10KG
Bedside Telephone	KT62	95*195*20mm	Grey & White	24	470*375*255mm	12.1KG



Hair Dryer / High Speed Hair Dryer



KH790
Side View



KH790
Front View



KH790
Back View



Magnetic Styling
Attachments



56 db low noise design with soft wind speed



110,000 RPM high-speed motor, wind speed can reach 22 meters per minute, which is three times than traditional hair dryer



200 million units of negative ions can prevent the accumulation of static electricity caused by hair deformation and bending, thus protecting the hair




Specially designed for hotel use, double layer wear-resistant paint coating



Three wind speeds, four temperature options, a total of 12 options, real-time screen display



Built-in NTC temperature sensor, high-frequency self-test, 100 times per second, precise control of air flow and temperature, prevent overheating damage to hair



Product Type: Hair Dryer
Product Model: KH790
Power: 1500W
Motor speed: 105000Rpm
Maximum wind speed: ≥21m/s

Power cord length: ≥1.5M
Noise figure: ≈75pd
Product specifications: 250*70*90mm
Product net weight: ≈410g

Hair Dryer / Sensing Function Hair Dryer




KH739D
Light Black
(surface spray painting)

 Intelligent sensing function, hold the handle to power on

 Vibration sensing, auto-off when the hairdryer remain the same position for over 8 seconds

 Intelligent and real-time temperature control, constant temp air avoid overheating damage to hair

 Overheating fusing protection, safe to use



Product Type: Hair Dryer
Product Model: KH739D
Power: 1875W
Nominal voltage: 220V~240V
Power cord length: 1.5M



*Power cables are able to choose:
Straight or curved

KH739D
Grey& White

 Power 1875W, fast drying, hot and cold air 2 temperature setting

 Japan MABUCHI motor, international brand, stable performance

 Double structure magnetic nozzle, scald-proof and no deformation

 50 million units of anion result : smooth the hair with shines. Reduce split-ends. Reduce the frequency of hair broken by improving the weakness status of hair.



Hair Dryer / Unfoldable Hair Dryer



KH739
Light Black
(surface spray painting)

 Intelligent and real-time temperature control, constant temp air avoid overheating damage to hair

 Power 1875W, fast drying, hot and cold air 2 temperature setting;

 Japan MABUCHI motor, international brand, stable performance

 Double structure magnetic nozzle, scald-proof and no deformation




KH739
Grey& White

 Overheating fusing protection, safe to use

 50 million units of anion result : smooth the hair with shines. Reduce split-ends. Reduce the frequency of hair broken by improving the weakness status of hair.

 Straight handle, more durable and not easily damaged



Product Type: Hair Dryer
Product Model: KH739
Power: 1875W
Nominal voltage: 220V~240V
Power cord length: 1.5M

Anion: 50 million
Product specifications: 248*76*135mm
Packing quantity: 24
Outer box specifications: 520*480*355mm
Gross weight of the whole box: 17KG

Hair Dryer / Unfoldable Hair Dryer



JF4026
Light Black




Overheating fusing protection,
safe to use



50 million units of anion result :
smooth the hair with shines.
Reduce split-ends. Reduce the
frequency of hair broken by
improving the weakness status
of hair.



Double structure magnetic
nozzle, scald-proof and no
deformation



Product Type: Hair Dryer
Product Model: JF4026
Power: 1600W
Nominal voltage: 220V
Power cord length: 1.5M



JF4026
Grey& White



Straight handle, more durable
and not easily damaged



Micro switch designed for use
in hotel scenarios, press and hold
to release the power off. Avoid
potential safety risks



Intelligent and real-time
temperature control, constant
temp air avoid overheat damage
to hair

Anion: 50 million
Product specifications: 235*76*135mm
Packing quantity: 24
Outer box specifications: 518*483*355mm
Gross weight of the whole box: 17KG




JF4008
Stainless Steel



Micro switch designed for use
in hotel scenarios, press and hold
to release the power off. Avoid
potential safety risks



Overheating fusing protection,
safe to use



Product Type: Hair Dryer
Product Model: JF4007
Power: 1500W
Nominal voltage: 220V
Power cord length: 1.3M



JF4007
Black



Straight handle, more durable
and not easily damaged



Metal surface: stainless steel

Product specifications: 205*75*155mm
Packing quantity: 24
Outer box specifications: 420*395*355mm
Gross weight of the whole box: 12KG

Hair Dryer / Folding Hair Dryer



KH728
Ivory



KH728
Light Black



KH728
Grey & White

Hair Dryer / Folding Hair Dryer



KH736
Light Black



KH736
Grey & White



KH736
Black

*Power cables are able to choose: Straight or curved



Intelligent and real-time temperature control, constant temp air avoid overheat damage to hair




Power 1875W, fast drying, hot and cold air 2 temperature setting



Japan MABUCHI motor, international brand, stable performance



Overheating fusing protection, safe to use



Product Type: Hair Dryer
Product Model: KH728
Nominal voltage: 220V~240V
Power cord length: 1.5M



50 million units of anion result : smooth the hair with shines. Reduce split-ends. Reduce the frequency of hair broken by improving the weakness status of hair.



Double structure clip-on nozzle, scald-proof and no deformation



Folding handle, small size, easy to store

Product specifications: 119*76*163mm
Packing quantity: 24
Outer box specifications: 537*388*355mm
Gross weight of the whole box: 14.5KG




Intelligent and real-time temperature control, constant temp air avoid overheat damage to hair



Overheating fusing protection, safe to use



Double structure clip-on nozzle, scald-proof and no deformation



Product Type: Hair Dryer
Product Model: KH736
Nominal voltage: 220V~240V
Power cord length: 1.5M



Hair dryer handle seamless structure, excellent product quality



50 million units of anion result : smooth the hair with shines. Reduce split-ends. Reduce the frequency of hair broken by improving the weakness status of hair.



Folding handle, small size, easy to store

Product specifications: 220*73*176mm
Packing quantity: 24
Outer box specifications : 420*395*355mm
Gross weight of the whole box: 13. 5KG

Hair Dreyer / Folding Hair Dryer



JF4009
Ivory



JF4010
Golden



JF4010P
Stainless Steel



JF4011
Deep Grey

Hair Dreyer / Folding Hair Dryer



JF4018
Ivory



JF4016
Black



JF4021
Grey & White



JF4015
Black



JF404
Black

Micro switch designed for use in hotel scenarios, press and hold to release the power off. Avoid potential safety risks



Folding handle, small size, easy to store

Micro switch designed for use in hotel scenarios, press and hold to release the power off. Avoid potential safety risks



Folding handle, small size, easy to store

Overheating fusing protection, safe to use



Material: high temperature resistance and wear resistance plastic

Overheating fusing protection, safe to use



Material: high temperature resistance and wear resistance plastic

Product Type	Product Model	Nominal voltage	Power cord length	Product specifications	Packing quantity	Outer box specifications	Gross weight of the whole box
Hair Dreyer	JF4009	220V	1.3M	98*88*38mm	24	420*395*355mm	12.15KG
Hair Dreyer	JF4010	220V	1.3M	98*88*38mm	24	420*395*355mm	13.25KG
Hair Dreyer	JF4010P	220V	1.3M	98*88*38mm	24	420*395*355mm	1.25KG
Hair Dreyer	JF4011	220V	1.3M	98*88*38mm	24	475*315*392mm	15.15KG

Product Type	Product Model	Nominal voltage	Power cord length	Product specifications	Packing quantity	Outer box specifications	Gross weight of the whole box
Hair Dreyer	JF4018	220V~240V	1.5M	220*87*215mm	24	420*395*355mm	18.3KG
Hair Dreyer	JF4016	220V	1.3M	183*224*76mm	24	420*395*355mm	11.8KG
Hair Dreyer	JF4021	220V	1.3M	195*180*74mm	24	420*395*355mm	11.9KG
Hair Dreyer	JF4015	220V	1.3M	188*218*77mm	24	420*395*355mm	11.45KG
Hair Dreyer	JF404	220V	1.3M	178*58*68mm	24	530*476*220mm	10.5KG



Hair Dryer / Wall Mounted Hair Dryer



JF5026
Light Black



Micro switch designed for use in hotel scenarios, press and hold to release the power off. Avoid potential safety risks



JF5026
Grey & White



50 million units of anion result: smooth the hair with shines. Reduce split-ends. Reduce the frequency of hair broken by improving the weakness status of hair.



Intelligent and real-time temperature control, constant temp air avoid overheat damage to hair



Product Type: Hair Dryer
Product Model: JF5026
Nominal voltage: 220V~240V
Power cord length: 1.5M



Overheating fusing protection, safe to use

Product specifications: 380*235*155mm
Packing quantity: 24
Outer box specifications: 537*388*435mm
Gross weight of the whole box: 18.3KG

Hair Dryer / Wall Mounted Hair Dryer



JF5027
Black



JF5014
Ivory



JF5010
Ivory



JF5011
Ivory



Micro switch designed for use in hotel scenarios, press and hold to release the power off. Avoid potential safety risks



Intelligent and real-time temperature control, constant temp air avoid overheating damage to hair



Overheating fusing protection, safe to use



Wall-mounted design: saves space and is easy to use

Product Type	Product Model	Nominal voltage	Power cord length	Product specifications	Packing quantity	Outer box specifications	Gross weight of the whole box
Hair Dryer	JF5027	220V	0.95M	230*185*90mm	24	575*388*385mm	17.5KG
Hair Dryer	JF5014	220V	0.95M	225*170*100mm	12	466*352*325mm	9.5KG
Hair Dryer	JF5010	220V	0.95M	220*150*95mm	24	467*463*415mm	17.45KG
Hair Dryer	JF5011	220V	0.95M	200*185*100mm	24	455*382*325mm	10.25KG

Hair Dryer / Wall Mounted Hair Dryer



KH 720
Wall Mounted Holder



KH4007
Any Unfoldable Hair Dryer



JF4007
Wall Mounted Hair Dryer

Accessories / Double Wall ABS Plastic Accessories



Double wall structure, which is initiated in the hospitality industry



Material waterproof and mildew resistant, not easy to deform



Series design, elegant and stylish



Rugged ABS material, not easy to wear and break, anti fingerprints



Compact, perfectly sized for display



Superior quality, corrosionproof, durable.

Accessories / Double Wall ABS Plastic Accessories / Tray



JF329
Kettle Tray
388*258*38mm



JF329S
Kettle Tray
328*228*30mm



JF329SC
Kettle Tray
388*258*38mm



JF337
Tower tray
218*138*20mm



JF324
Memo pad tray
148*92mm



JF335
Bottle water tray
185*96*20mm



JF336
Cup tray
185*96*20mm



JF338
Toiletries tray
328*218*28mm



JF333
Soap tray
88*88*20mm

Accessories / Double Wall ABS Plastic Accessories / Kettle Tray



JF999
Model 5, Model 7
440*250*40mm



JF999BT
Model 5, Model 6, Model 7
362*152*24mm



JF999D
Model 6, Model 15
362*218*30mm



JF999B
Model 6, Model 7
390*190*38mm



JF999C
Model 5, Model 6, Model 7
358*218*28mm



JF999E
Model 15
362*218*30mm

There are various models of trays corresponding to different models of electric kettles, please see the list on the next page for details

Accessories / Double Wall ABS Plastic Accessories / Kettle Tray |

Model 5



JK-5



JK-6



JK-21



JK-22

Model 6



JK-26



KH851



KH852



JK-2



KH866



KH863



KH886



KH883

Model 7



JK-7



KH868



KH856



KH869

Model 15



KH815



KH825



KH826



Accessories / Double Wall ABS Plastic Accessories / Boxes



JF328
Tea bag box
178*58*68mm



JF328s
Tea bag box
98*88*38mm



JF323
Remote control box
118*98*88mm



JF339
Toiletries box
200*250*95mm



JF325
Tissue box
125*125*145mm



JF326
Tissue box
125*125*68mm



JF327
Tissue box
198*120*70mm



Accessories / Double Wall ABS Plastic Accessories / Hanger



JF315S
for Suit
430*235*48mm



JF316S
for Suit
430*235*48mm



JF315M
for Shirt
430*235*30mm



JF316M
for Shirt
430*235*30mm



JF315W
for Pants and Skirt
430*235*30mm



JF316W
for Pants and Skirt
430*235*30mm



Matte Surface



Smooth Surface

Accessories/Double Wall ABS Plastic Accessories/Brush and Shoe Horn



JF322
Shoe horn
386*39.6*35.6mm



JF321
Brush
386*39.6*60.5mm

Accessories / Cup and Cup Mat



KC11B
Cup
78*98mm



KC12B
Cup
82*68mm



KC10
Cup mat
89*89mm



KC13
Cup
78*98mm

Series Products / Black



JF326
Tissue box
125*125*68mm



JF325
Tissue box
125*125*145mm



JF327
Tissue box
198*120*70mm



JF336
Cup tray
185*96*20mm



JF335
Bottle water tray
185*96*20mm



JF323
Remote control holder
118*98*88mm

Series Products / Black



JF739
Hair Dryer
220*154*75mm



JF329
Kettle Tray
388*258*38mm



JF339
Toiletries box
200*250*95mm



JF324
Memo pad tray
148*92mm



KT97T
Telephone
215*90*75mm



JF329S
Kettle Tray
328*228*30mm



JF5236
Trash Can
300*170*290mm



JF337
Tower tray
218*138*20mm



KT97AS
Telephone
170*230*80mm



JF316
Hanger
430*235*30mm



JF5266
Trash Can
355*230*300mm



JF333
Soap tray
88*88*20mm

Series Products / Orange



JF326
Tissue box
125*125*68mm



JF325
Tissue box
125*125*145mm



JF327
Tissue box
198*120*70mm



JF336
Cup tray
185*96*20mm



JF335
Bottle water tray
185*96*20mm



JF323
Remote control holder
118*98*88mm

Series Products / Orange



JF739
Hair Dryer
220*154*75mm



JF329
Kettle Tray
388*258*38mm



KT96C
Telephone
215*90*75mm



JF329S
Kettle Tray
328*228*30mm



JF339
Toiletries box
200*250*95mm



JF5236
Trash Can
300*170*290mm



JF324
Memo pad tray
148*92mm



JF337
Tower tray
218*138*20mm



JF338
Kettle Tray
328*218*28mm



JF316
Hanger
430*235*30mm



JF5266
Trash Can
355*230*300mm



JF333
Soap tray
88*88*20mm

Series Products / Dark Green




JF326
Tissue box
125*125*68mm



JF325
Tissue box
125*125*145mm



JF327
Tissue box
198*120*70mm



JF336
Cup tray
185*96*20mm



JF335
Bottle water tray
185*96*20mm



JF323
Remote control holder
118*98*88mm

Series Products / Dark Green



JF4026
Hair Dryer
205*155*75mm



JF329
Kettle Tray
388*258*38mm



JF339
Toiletries box
200*250*95mm



KT98B
Telephone
170*215*85mm



JF329S
Kettle Tray
328*228*30mm



KT62KC
Telephone
235*90*75mm



JF316
Hanger
430*235*30mm



JF5236
Trash Can
300*170*290mm



JF5266
Trash Can
355*230*300mm



JF324
Memo pad tray
148*92mm



JF337
Tower tray
218*138*20mm



JF333
Soap tray
88*88*20mm

Series Products / Grey& white



JF326
Tissue box
125*125*68mm



JF325
Tissue box
125*125*145mm



JF327
Tissue box
198*120*70mm



JF336
Cup tray
185*96*20mm



JF335
Bottle water tray
185*96*20mm



JF323
Remote control holder
118*98*88mm

Series Products / Grey& white



JF339
Hair Dryer
220*154*75mm



JF329
Kettle Tray
388*258*38mm



JF329S
Kettle Tray
328*228*30mm



JF339
Toiletries box
200*250*95mm



JF5236
Trash Can
300*170*290mm



JF324
Memo pad tray
148*92mm



JF337
Tower tray
218*138*20mm



KT97AS
Telephone
170*230*80mm



KT62KC
Telephone
235*90*75mm



JF316
Hanger
430*235*30mm



JF5266
Trash Can
355*230*300mm



JF333
Soap tray
88*88*20mm

Accessories / Emergency Flashlight



KF508
Grey& White



KF508
Grey& White



KF508
Light Black



KF508
Fluorescent



Long time standby more than one year more than one year



Magnetic switch: the flashlight will turn on when it leaves the base, and automatically turn off when it is placed in the base



Durable: fully charged, it provides about 60 hours of runtime



Fluorescent display: the flashlight can be easily found in the dark environment



Fast charging via a USB-C cable: it takes 3 hours to fully charge.



Product Type:Emergency Flashlight
Product Mode: KF508
Product specifications: 155*45*43mm
parameter : 1200mAH

General colors: Grey&White,Light Black
Packing quantity:100
Outer box specifications: 523*342*275mm
Gross weight of the whole box:18. 8KG



JF1408
Ivory



JF1408
Black



JF1408
Fluorescent



Long time standby: more than 6 months



Two D batteries: easy to replace battery



Automatic switch: The flashlight will turn on when it leaves the base, and automatically turn off when it is placed in the base



Product Type:Emergency Flashlight
Product Mode: JF1408
Product specifications: 202*48*50mm
parameter : D Battery x 2

General colors: Ivory,Light Black
Packing quantity:50
Outer box specifications: 680*322*335mm
Gross weight of the whole box: 14KG



Accessories / Electric Iron



KH586
Grey& White
300*118*160mm



KH586
Black
300*118*160mm



JF481
Iron Board
Black



KH586
Iron Rack
Ivory
300*140*110mm



KH581
Iron Rack
Black
300*140*110mm



Iron Rack & Iron
Ivory
300*140*110mm



Automatic power off, safe to use



Automatic cleaning function, more convenient to use



Drip proof, water is not easy to spill



The power cable comes with a cable tie



Accessories / Weighing Scale



KS597
Black
300*300*31mm



KS597
Logo Display



KS597
Ivory
300*300*31mm



KS597
Side View



Micro USB charging (optional)



1cm thick high strength glass surface



LED digital display, highlighted white light



4 sensing silicon pads on the bottom for better balance



Real-time battery percentage display



Four AAA batteries, easy to replace



Customizable startup display logo



Weighing range 5-180kg (11-396LB)



Accessories / Trash can / Triple Wall Trash Can



JF5230(5L)
Grey& White
228*298mm



JF5230(5L)
Black
228*298mm



JF5231(8L)
Golden
205*268mm



JF5231(8L)
Stainless Steel
205*268mm



Triple wall structure: the shell is made of stainless steel, the inner wall and the inner bin are made from ABS



After the garbage bag is put in, it cannot be seen from the appearance



The plastic part of trash bin can be made from flame retardant materials



Seamless design: there is no gap between the trash can ring and the trash can body, simple and easy to clean



Surface is made of stainless steel, which is brushed, anti-fingerprint



Accessories / Trash Can / Double Wall Structure



JF5238A(5L)
Grey& white
195*255mm



JF5238B(8L)
Black
215*285mm



Double wall structure:
Inner wall and shell
made from ABS plastic



Double wall structure: inner wall
and shell made from ABS plastic



Seamless design: there is no
gap between the trash can ring
and the trash can body, simple
and easy to clean



After the garbage bag is put in,
it cannot be seen from the
appearance



The plastic part of trash bin can
be made from flame retardant
materials



Accessories / Trash Can / Narrow Trash Can



JF5236(5L)
Grey& White
300*170*290mm



JF5236(5L)
Light Black
300*170*290mm



JF5237(5L)
Grey& White
300*170*290mm



JF5237(5L)
Light Black
300*170*290mm



Double wall structure: inner wall and shell made from ABS



Seamless design: there is no gap between the trash can ring and the trash can body, simple and easy to clean



After the garbage bag is put in, it cannot be seen from the appearance



Slim Trash Can: perfectly shaped for the bathroom narrow space



The plastic part of trash bin can be made from flame retardant materials



Accessories / Trash Can / Compartment Trash Can



JF5266(5L+5L)
Light Black
355*230*300mm



JF5266(5L+5L)
Grey& White
355*230*300mm



JF5265(5L+5L)
Light Black
300*170*290mm



JF5265(5L+5L)
Grey& White
300*170*290mm



Double wall structure: inner bins and shell made from ABS



Seamless design: there is no gap between the trash can ring and the trash can body, simple and easy to clean



After the garbage bag is put in, it cannot be seen from the appearance



Compartment garbage can: removable compartments help sort general garbage and recyclable agarbage easily



The plastic part of trash bin can be made from flame retardant materials

Accessories / Artificial Leather Accessories / Light Grey



JF338L
Light Grey
328*218*28mm



JF335L
Light Grey
185*96*20mm



JF336L
Light Grey
185*96*20mm



JF323L
Light Grey
118*98*88mm



JF328SL
Light Grey
98*88*38mm



JF328L
Light Grey
178*58*68mm

Accessories / Artificial Leather Accessories / Light Grey



JF329L
Light Grey
388*258*38mm



JF5231L
Light Grey
205*268mm



JF5230L
Light Grey
228*298mm



JF327L
Light Grey
198*120*70mm



JF326L
Light Grey
125*125*68mm



JF325L
Light Grey
125*125*145mm



JF324L
Light Grey
148*92mm



JF329SL
Light Grey
328*228*30mm



JF333L
Light Grey
88*88*20mm



Leather surface waterproof:
tissue or dry towel can wipe
water directly



Mothproof: the leather was
specially treated to protect
it from insects



Easy Care: no need protective
oil for maintenance



The leather surface is specially
treated: not easy to fade

Accessories / Artificial Leather Accessories / Light Yellow



JF338L
Light Grey
328*218*28mm



JF335L
Light Grey
185*96*20mm



JF336L
Light Grey
185*96*20mm



JF323L
Light Grey
118*98*88mm



JF328SL
Light Grey
98*88*38mm



JF328L
Light Grey
178*58*68mm



JF324L
Light Grey
148*92mm



JF329SL
Light Grey
328*228*30mm



JF333L
Light Grey
88*88*20mm

Accessories / Artificial Leather Accessories / Light Yellow



JF329L
Light Grey
388*258*38mm



JF5231L
Light Grey
205*268mm



JF5230L
Light Grey
228*298mm



JF327L
Light Grey
198*120*70mm



JF326L
Light Grey
125*125*68mm



JF325L
Light Grey
125*125*145mm



Leather surface waterproof:
tissue or dry towel can wipe
water directly



Mothproof:the leather was
specially treated to protect
it from insects



Easy Care: no need protective
oil for maintenance



The leather surface is specially
treated: not easy to fade

Accessories / Artificial Leather Accessories / Dark Grey



JF338L
Light Grey
328*218*28mm



JF335L
Light Grey
185*96*20mm



JF336L
Light Grey
185*96*20mm



JF323L
Light Grey
118*98*88mm



JF328SL
Light Grey
98*88*38mm



JF328L
Light Grey
178*58*68mm



JF324L
Light Grey
148*92mm



JF329SL
Light Grey
328*228*30mm



JF333L
Light Grey
88*88*20mm

Accessories / Artificial Leather Accessories / Dark Grey



JF329L
Light Grey
388*258*38mm



JF5231L
Light Grey
205*268mm



JF5230L
Light Grey
228*298mm



JF327L
Light Grey
198*120*70mm



JF326L
Light Grey
125*125*68mm



JF325L
Light Grey
125*125*145mm



Leather surface waterproof:
tissue or dry towel can wipe
water directly



Mothproof:the leather was
specially treated to protect
it from insects



Easy Care: no need protective
oil for maintenance



The leather surface is specially
treated: not easy to fade

产品名称：JJ-630电吹风

尺寸：太空灰色磨砂

规格介绍：16.5*19.5*6.8

1600W磨砂防指纹

搭载 2W 转高速马达，快速干发，高速空气流，

出风口风速 12.5-13m/s

预算价格&适用酒店：85



165mm

195mm

产品名称：JJ-629电吹风 (壁挂式)

尺寸：太空灰色磨砂

规格介绍：16.5*19.5*6.8

1600W磨砂防指纹

搭载 2W 转高速马达，快速干发，高速空气流，

出风口风速 12.5-13m/s

预算价格&适用酒店：89



all home

产品名称：JJ-625电吹风

尺寸：白色磨砂

规格介绍：162*235*70mm

1600W磨砂防指纹

搭载 2W 转高速马达，快速干发，

高速空气流，出风口风速 12.5-13m/s.

扁口方便造型

其他：定制颜色吹风口

非折叠不易坏

预算价格&适用酒店：日口



产品名称：JJ-619电吹风

尺寸：白色磨砂

规格介绍：182*227*75mm

1300W磨砂防指纹

冷风一档热风两档

扁口方便造型

其他：定制颜色吹风口

非折叠不易坏



产品名称：徕芬高速吹风机LF03

规格介绍：

电机转数 110000 转/min

最高风速 22m/s

机身重量 407 g

风筒长度 89mm

护发功能 负离子

恒温算法 100 次/秒

线长 1.7m (配理线带)

噪音 59dB

机身材质 尼龙+玻璃纤维

独有亮点 三色灯环

预算价格&适用酒店：599



产品名称：徕芬高速吹风机SE

规格介绍：

SE 标准参数

电机转数 105000 转/min

最高风速 21m/s

机身重量 407 g

风筒长度 89mm

护发功能 负离子

恒温算法 50 次/秒

线长 升级至1.7m (配理线带)

噪音 59dB

机身材质 PC 高强度聚碳酸酯

新版亮点 全系五款莫兰迪配色

预算价格&适用酒店：399



产品名称：高速吹风机

尺寸：270*71*90hmm

材质：电器产品

其他：

功率：1600W

产品尺寸：27*7.1*9cm

高效护发：11万转高速马达，22m/s强劲风速

负离子新呼吸：亿万级负离子护发

低噪音吹发：多重智能降噪装置，低至59dB静享吹风

智能恒温：每秒1000次校准温度，确保风温避免高温烤发

双层磁吸嘴设计——方便快捷

纳米喷涂UV加固——耐刮防指纹

预算价格&适用酒店：350



产品名称：高速吹风机

尺寸：270*71*90hmm

材质：电器产品

功率：1600W 额定电压：220V~

产品尺寸：27*7.1*9cm

高效护发：10.5W转高速马达，22m/s强劲风速

负离子新呼吸：已亿负离子护发

低噪音吹发：多重智能降噪装置，低至59dB静享吹风

智能恒温：每秒60次校准温度，确保风温避免高温烤发

双层磁吸嘴(选配)设计——方便快捷

纳米喷涂UV加固——耐刮防指纹

预算价格&适用酒店：210



产品名称: JJ-362电水壶

尺寸: 太空灰色磨砂

功率: 1500W

容量: 1.0L

产品尺寸: 18*14.5*20.8CM

磨砂质感壶身, 耐指纹抗污

英国 Strix 温控器, 食品级304材质内胆

收线式底座, 摆放更美观

其他:



产品名称: JJ-362电水壶

尺寸: 太空灰色磨砂

规格介绍: 220*184*150,1L

1360W磨砂防指纹, 精准温控, 双层防烫

一体内胆, 304不锈钢, 干烧水沸腾自动断电保护

可收纳电源线底座

其他:



产品名称: JJ-366电水壶

尺寸: 太空灰色磨砂

规格介绍: 220*184*150, 0.8L

1000W磨砂防指纹, 英国Strix温控, 双层防烫

一体内胆, 316医用钢材, 自动断电保护

其他: 三色可选



产品名称: JJ-365电水壶

尺寸: 203*185mm

规格介绍: 1360W全球领先品牌, 安全可靠
双重防烫设计, 1.0L内层一体拉伸式全食品级
304 不锈钢材质, 食品级 PP 磨砂材质防止烫
手, 全不锈钢弹跳壶盖, 收线式底座, 让摆放更
美观, 开 / 关按键, 电源指示灯

品牌: JJ home



产品名称: JJ-359电水壶

尺寸: 176*215mm

规格介绍: 防干烧设计, 家泰防水温控, 温控精准, 内层一体拉伸式全食品级 304 不锈钢材质内胆, 0.8 升, 外壳使用食品级 PP 磨砂材质, 质感完美呈现且防止烫手

品牌: JJ home



产品名称: JJ-358电水壶

尺寸: 176*215mm

规格介绍: 防干烧设计, 家泰防水温控, 温控精准, 内层一体拉伸式全食品级 304 不锈钢材质内胆, 0.8 升, 外壳使用食品级 PP 磨砂材质, 质感完美呈现且防止烫手

品牌: JJ home



产品名称: 电水壶

尺寸: 176*215mm

规格介绍: 防干烧设计, 家泰防水温控, 温控精准, 内层一体拉伸式全食品级 304 不锈钢材质内胆, 0.8 升, 外壳使用食品级 PP 磨砂材质, 质感完美呈现且防止烫手

品牌: JJ home



产品名称: 电水壶

尺寸: 210*110*243mm

规格介绍: 1250W, 1.2L, 一体成型无缝内胆

可视加热指示灯, 可收纳线盘, 只能断电

品牌: JJ home



产品名称: 电热水壶

尺寸: 210*165*225mm

其他: 2000W, 220V, 50HZ, 金属材质

壶身离开自动停止加热

水沸腾自动停止加热

水少无水自动断电

品牌: 意大利品牌德龙E' LONGHI



产品名称：提梁电热水壶

尺寸：

其他：功率：1000W 容量：0.8L

磨砂质感壶身，耐指纹抗污

英国 Strix 温控器，食品级304材质内胆

壶盖增加食品级硅胶防滑圈，不易掉落

提梁采用人体工程学设计，提放舒适自如

弧形开关设计，贴合手感，轻松按压

收线式底座，摆放更美观


预算价格&适用酒店：165



165mm


225mm

产品名称: 塑料衣架
尺寸: 400mm
其他: ABS注塑



400mm

产品名称: 塑料衣架
尺寸: 400mm
其他: ABS注塑
预算价格&适用酒店:
8.5/8.5/9.8




产品名称: 塑料衣架 (可换色)

尺寸: 440mm

其他: ABS注塑

预算价格&适用酒店:

5/7/7



产品名称：手持蒸汽挂烫机

尺寸：150ml, 1200W, 50Hz, 220V

其他：快速预热可折叠，平烫挂烫一体，干烫蒸汽烫二合一，10分钟无操作自动断电，自动清理功能，过热保护



产品名称: 手电筒

尺寸: 60*35mm

其他: ABS注塑, 待机180天, 5V500毫安





货号: VSD-15BC

- 断电模式: 霍尔磁感应开关, 毫秒级响应拿起即亮。
- 电池: 充电电池(容量1200mA,随货赠送)。
- 功能: 取出即亮。
- 光源: 1颗LED灯珠。
- 颜色: 黑色磨砂面。
- 充电方式: USB座充。
- 产品尺寸: 138*40*38mm (φ34*135mm)
- 外箱尺寸: 44 * 38 * 31 cm
- 获得欧盟CE认证。
- 质保服务: 手电筒享受终身无限制质保, 充电电池\适配器一年质保。
- 专利证书号: ZL201930499258.4



• 货号: VSD-11

- 断电模式: 霍尔磁感应开关, 毫秒级响应拿起即亮。
- 电池: 专用电池(随货赠送)。
- 光源: 大功率LED贴片灯珠。
- 功能: 带有应急逃生闪烁指示灯; 遇到地震会发生规律频闪提醒。
- 颜色: 黑色纯铝合金手电筒。
- 安装方法: 详见产品包装。
- 产品尺寸: 产品尺寸: 160*30*44mm (φ30*φ 40*158mm)
- 外箱尺寸: 45 * 37 * 17 cm
- 获得欧盟CE认证。
- 质保服务: 手电筒享受终身无限制质保。
- 专利证书号: ZL201930499258.4



货号: VSD-02NS

- 颜色: 银色
- LED非充电式手电筒
- 光源: 6颗高亮LED灯珠。
- 使用3节7号干电池 (电池自理) 。
- 产品尺寸: 153 * 40 * 42 mm (Φ32.5*Φ34*135 mm)。
- 外箱尺寸: 44*38*31cm。
- 尾部配置进口微动开关 (防止带走) 。
- 获得欧盟CE认证
- 质保服务: 整机享受壹年质保 (电池流水等人为原因不在质保范围内) 。

产品名称: 胶囊咖啡机

尺寸: 419*150*305mm, 0.8L水箱

其他: 1260W, 50HZ, 220V

可用咖啡胶囊: 雀巢, 星巴克, ILLY, LVAZZA,
LOR等咖啡品牌的Nespresso compatible胶囊



产品名称: 体重秤

尺寸: 325*280*300mm

其他: 大理石纹防火板+LCD液晶显示



产品名称：CW300体重秤

尺寸：302*302*25mm

其他：5mm加厚钢化玻璃秤面，良好抗冲击抗高压，LCD液晶显示

自动开机，自动关机，超载提示，低电量提示，Upower自发电技术

品牌：JJ home



产品名称: CW300体重秤

尺寸: 302*302*25mm

其他: 5mm加厚钢化玻璃秤面, 良好抗冲击抗高压, LCD液晶显示

自动开机, 自动关机, 超载提示, 低电量提示, Upower自发电技术

品牌: JJ home



产品名称: 体重秤

尺寸: 325*280*300mm

其他: 大理石纹防火板+LCD液晶显示



产品名称: 吹风机盒

尺寸: 270*220*80

材质: 树脂


其他: 不建议使用皮具会发霉

使用说明 Instruction

1. 产品不能接触水源和明火
2. 使用完毕请拔掉插头
3. 避免拉扯电线损坏电线
4. 使用过程中不要有异物接触或卷入出风口

开盖方向

注意事项



产品名称：吹风机盒

尺寸：270*220*80

材质：树脂


其他：不建议使用皮具会发霉

使用说明 Instruction

1. 产品不能接触水源和明火
2. 使用完毕请拔掉插头
3. 避免拉扯电线损坏电线
4. 使用过程中不要有异物接触或卷入出风口

开盖方向


注意事项



产品名称：吹风机袋

尺寸：75mm*250mm*150mm

其他：灰色毛毡布 印字 满版双色印刷



名称: 玻璃杯

颜色: 琥珀色+灰色

规格尺寸:

备注: 陶瓷



77mm



85mm

产品名称: 漱口杯

尺寸: 78*85mm, 270ml

材质: 高硼硅玻璃

其他:




产品名称：冰箱

尺寸：

材质：

其他：

若迷你吧放在柜内使用时,必须有合理良好的通风,以便热量的蒸发。建议迷你吧两侧至少保留5-10CM的间隙,后面至少保留10-20CM的间隙。柜内通风设计可参照如下:



Installation principle: if place to cabinet use, must keep reasonable air circulation for the heat dissipation. It is suggested that the refrigerator should be retained at least the 5-10cm gap, The design of ventilation in the cabinet can be referenced as follows:

SLIDING HINGE

联动装置



小冰箱可与家具相配套,发泡门冰箱门体(门体带玻璃的除外)可与柜子门体相连接,可以达到打开柜子门的时候同时打开冰箱门,使客人拿取食物更方便。

Sliding hinge: minibar can be matched with furniture, foamed door body (except the door body with glass) can be connected with the cabinet door , allowing the simultaneous opening of both minibar and cabinet so that the guests Can take food more convenient.

产品名称：25L玻璃门冰箱

尺寸:

(L)375*(W)400*(H)480MM

包装尺寸:

(L)460*(W)440*(H)545MM

材质:

其他: 门体类型:透明玻璃门

有效容积:25L

净重:14.5KG毛重:15.8KG

额定功率:65W电压频率:AC220/100/110V 50/60Hz

电源线长:1.6m

颜色:亚光黑色、沙纹深灰色、米白色(可根据客户要求订做)

装柜量:20GP:260台;40GP:540台;40HQ:540台



产品名称：30L发泡门冰箱

门体类型:发泡门

有效容积:30L净重:13.2KG毛重:146KG

冰箱外形尺寸:(L)420*(W)400*(H)480MM

包装尺寸:(L)480*(W)460*(H)545MM


额定功率:65W

电压频率:AC220/100/110V 50/60Hz

电源线长:1.6m

颜色:亚光黑色、沙纹深灰色、米白色(可根据客户要求订做)

装柜量:20'GP:240台;40'GP:500台;40'HQ:500台



产品名称：30L玻璃门冰箱

门体类型:透明玻璃门

有效容积:30L

净重:15.2KG毛重:16.6KG

冰箱外形尺寸:(L)415*(W)400*(H)480MM

包装尺寸:(L)480*(W)460*(H)545MM

额定功率:65W

电压频率:AC220/100/110V 50/60Hz

电源线长:1.6m

颜色:亚光黑色、沙纹深灰、米白色(可根据客户要求订做)

装柜量:20GP:240台;40GP:500台;40HQ:500台



产品名称：投币保险箱

尺寸：箱体外围高250mm宽350mm深250mm

箱体材料：优质A3全钢板加厚实心门，3mm门；1.3mm箱体，净重6KG

使用操作：两套密码系统3-6数字密码设置，防破译。

电源供应：独特的电子低能耗设计，4节AA (1.5) 电池可使用一年以上。

显示功能：LED数码显示。

内部装饰：绒毯。

工艺选择：一次成型的加工工艺，特有的喷塑技术，确保20年不生锈。

锁具系统：认证双实心锁头设计高质量的电机驱动，开关门移动平滑无噪音。

保护设计：3次密码错误自动锁死15分钟，同时可选择密码隐藏功能。

管理控制：1. 遗忘密码状态下的强制开锁（机械钥匙加管理密码）

管理控制：2. 管理密码可根据酒店的要求修改，也可使用出厂管理码。

应急钥匙：有



产品名称：投币保险箱

尺寸：高度280*深450*宽410mm

全钢板保管箱技术参数与使用方法

1、优质A3冷轧钢板制作，箱体厚度采用2mm，门板厚度5mm,小门配内盒，内盒采用0.8优质高硬度钢板制作。

2、产品耐用度——经打磨抛光 补腻子 细磨 去油、除锈、磷化等十道工序后静电喷塑处理，正常情况50年不会生锈。

3、安全度——锁具采用美国UL安全认证专用高精度双锁头可变锁,锁簧片组合10万种以上。4、精致度——小门配内盒，内盒有拉手可挂锁，内盒及门底部固贴绒布。

5、主钥匙锁孔和客钥匙锁孔：主钥匙锁孔在右侧，客钥匙锁孔在左侧。

主钥匙和客钥匙的孔不能互插，客钥匙上的编号和门上的编号一致。

4门



产品名称：投币保险箱

尺寸：高度570*深400*宽400mm

全钢板保管箱技术参数与使用方法

1、优质A3冷轧钢板制作，箱体厚度采用2mm，门板厚度5mm,小门配内盒，内盒采用0.8优质高硬度钢板制作。

2、产品耐用度——经打磨抛光 补腻子 细磨 去油、除锈、磷化等十道工序后静电喷塑处理，正常情况50年不会生锈。

3、安全度——锁具采用美国UL安全认证专用高精度双锁头可变锁,锁簧片组合80万种以上。4、精致度——小门配内盒，内盒有拉手可挂锁，内盒及门底部固贴绒布。

5、主钥匙锁孔和客钥匙锁孔：主钥匙锁孔在右侧，客钥匙锁孔在左侧。

主钥匙和客钥匙的孔不能互插，客钥匙上的编号和门上的编号一致。

5门A





客房电器类产品

- 迷你小冰箱 保险箱
- 吹风机 电话机 电熨斗
- 咖啡机 闹钟 音乐播放器





电话机





MINIBAR





客房设计定制品




茶具托盘 垃圾桶


浴室用品 行李架

冰桶/酒吧用品 衣架

玻璃杯/杯垫

铅笔/笔/便签板







3500/9700系列酒店专用电话机，采用倾斜机身设计，新颖时尚同时更加节省客房内的宝贵空间。经多重设计优化，充分考虑用户使用习惯，倾斜角度达到最佳。黑灰双色机身，搭配蓝色、紫铜色、银色、红色4种多彩配色框架设计，完美契合不同装饰风格的房间使用。

包含单线、双线、模拟、IP、有绳和无绳话机，5/10个可编程客户服务键，一键提取式留言提示灯，并配套有相应的浴室话机。

3500/9700系列

- 单线、双线、模拟、IP、有绳、无绳
- 黑色、灰色
- 5/10个可编程客户服务键
- 闪断、静音、重拨、保持键等
- 三方通话功能（仅双线）
- 音量调节键
- 一键提取式留言提示灯
- 支持国内2.4GHz标准（仅无绳）
- 待机时间一周，连续通话7小时（仅无绳）
- 无绳系列可配备4部子机，子机自动注册对码（仅无绳）



四种标准配色框架设计



	模拟有绳电话	模拟无绳电话	VoIP 有绳电话	VoIP 无绳电话
单线	✓	✓	✓	✓
双线	✓	✓	✓	✓
子机套件	-	✓	-	✓
浴室话机	单/双线	-	单/双线	-
大堂话机	✓	-	✓	-
快捷键	5/10	5/10	5/10	5/10
免提	✓	✓	✓	✓
留言信息灯	✓	✓	✓	✓
定制面板	是	是	是	是
颜色	黑/灰	黑/灰	黑/灰	黑/灰



M 系列酒店专用电话机的面世，重新刷新了人们对酒店专用电话机的认识。时尚简约，技术先进，在具备一般电话机功能的基础上，兼备 USB 功能于一身。不仅仅是一部电话机，更是酒店客房中不可多得的一件工艺品。

M 系列

- 单线、双线、模拟、IP、有绳、无绳
- 5/10个可编程客户服务键
- 闪烁、静音、重拨、保持键等
- 音量调节键
- 一键提取式留言提示灯
- 两个USB充电接口
- 红、黑、蓝、绿、棕5种配色拉丝面板
- 三方通话功能（仅双线）
- 支持国标2.4GHz标准（仅无绳）
- 待机时间一周（仅无绳）
- 连续通话7小时（仅无绳）
- 无线系列可配备4部子机，子机自动注册对码（仅无绳）



五种标准配色面板设计



	模拟有绳电话	模拟无绳电话	VoIP 有绳电话	VoIP 无绳电话
单线	✓	✓	✓	✓
双线	✓	✓	✓	✓
子机套件	—	✓	—	✓
带麦克风	单/双线	—	单/双线	—
快捷键	5/10	5/10	5/10	5/10
免提	✓	✓	✓	✓
留言提示灯	✓	✓	✓	✓
USB 接口	2	2	1	1
定期闹钟	独立面板	独立面板	独立面板	独立面板
颜色	黑色	黑色	黑色	黑色



E 系列酒店专用电话机，采用精巧型外观设计。功能强大，但体积却比传统客房电话小了近40%，在酒店电话设计中开创了一个全新的流派。精致超薄、时尚紧凑的机身，带给客人平板电脑般的熟悉与精致，同时，也为酒店房间增添了一丝典雅的气息。

E 系列

- 单线、双线、模拟、IP、有绳、无绳
- 黑色、灰色
- 来电显示功能（仅IP有绳话机）
- 4/8个可编程客户服务键
- 闪断、静音、重拨、保持键等
- 三方通话功能（仅双线）
- 音量调节键
- 一键提取式留言提示灯
- 支持国内2.4GHz标准（仅无绳）
- 待机时间一周（仅无绳）
- 连续通话7小时（仅无绳）
- 无绳系列可配备4部子机
- 子机自动注册对码（仅无绳）



精巧型外观设计的E系列话机
比传统客房电话的体积小了近40%



E100TRM-d





T100 入墙电话，免提和速拨键“合二为一”节省空间，方便快捷

电话机 T100

- 话机型号
- T100
- 入墙式电话

颜色

黑色、浅咖色

尺寸

86mm(长)86mm(宽)38mm(高)



功能

· 接听电话

来电响铃的时候，按“呼叫前台”按键，话机进入摘机状态，接听来电进行通话；
通话结束后，按此按键自动挂机，或对方先挂机，
本机检测到催挂音后，延时5秒自动挂机。

· 呼叫前台

无来电响铃的时候，按“呼叫前台”按键，话机自动摘机，并拨出预存在话机内的前台号码，呼叫前台；
通话结束后，按此按键主动挂机，或对方挂机，
本机检测到催挂音后，延时5秒自动挂机。



T200 酒店专用电话机，采用精巧型外观设计。功能强大，由 Cetis 美爵信达 独家设计而成。精致超薄、时尚紧凑的机身，带给客人平板电脑般的熟悉与精致，同时，也为酒店房间增添了一丝典雅的气息。

电话机 T200

- 话机型号
- T200
- 单线有绳客房电话

颜色

灰色、黑色



功能

- 高品质通话，通话清晰
- LED来电指示灯
- 1个用户可编程快捷键，一键呼出
- 具有闪断，重拨，存储，音量调节功能键
- 台放式设计，小巧精致，方便床头摆放
- 1年保修

产品信息

- 安装：
包括安装
623K标准接口线-7ft/2m
手柄接口线-10ft/3m
线路电压24—52VDC
- 线路电流：20—100mA

系列化酒店电话机



9700/3500 系列



M 系列

T100

T200



E 系列

A-16 系列

系列化酒店客房电器



电水壶 K-306



电水壶 K-406



电水壶 K-608



电水壶 K-708



电水壶 K-612



电水壶 K-612W



电水壶 K-100



电水壶 K-200



高速吹风机
HD-900



电吹风 HD-616
电吹风 HD-618



电熨斗 I-100
手持挂烫机 I-900



手电筒 FL-100/102
电子秤 S-100/105

全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电水壶 K-306/406

磨砂表面烤漆-触感细腻/经久耐用



产品参数

产品名称: 电水壶	额定电源: 220V
产品型号: K-306/406	额定频率: 50Hz
产品尺寸: 220 x 160 x 250mm	额定功率: 1000W
容量: 0.6L	电源线: 0.75m
重量: 1078g	材质: 内胆采用食品级304不锈钢
颜色: 暖灰、黑色	温控器: 英国STRIX温控器
适用场景: 酒店、家庭等	认证: 国家CCC安全认证

暖灰、黑色两种颜色可选



K-306



K-406

产品细节展示

系列化外观设计

双层设计, 全方位防烫



国际食品级304不锈钢内胆

健康无异味, 干烧不变形



英国STRIX温控器

自动断电保护、防干烧



大口径拔盖设计

接水更方便、清洗更容易

全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电水壶 K-608/708

系列化外观设计，双层设计，安全防烫



产品参数

产品名称: 电水壶
产品型号: K-608/708
尺寸: 192 x 218 x 132mm
容量: 0.8L
重量: 869g
颜色: 暖灰、黑色
适用场景: 酒店、家庭等

额定电源: 220V
额定频率: 50Hz
额定功率: 1200W
电源线: 0.75m
材质: 内胆采用食品级304不锈钢
温控器: 英国STRIX温控器
认证: 国家CCC安全认证

暖灰、黑色两种颜色可选



K-608



K-708

产品细节展示

系列化外观设计

双层设计，安全防烫



国际食品级304不锈钢内胆

健康无异味，干烧不变形



伸缩绕线底座

方便收纳



方便拔插的电源插头

方便快捷，专利号ZL201630490902.8



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电水壶 K-612/612W

系列化外观设计，双层设计，安全防烫



产品参数

产品名称: 电水壶	额定电源: 220V
产品型号: K-612/612W	额定频率: 50Hz
尺寸: 226.8x218.4x131.2mm	额定功率: 1500W
容量: 1.2L	电源线: 0.75m
重量: 1060g	材质: 内胆采用食品级304不锈钢
颜色: 暖灰、黑色	温控器: 英国STRIX温控器
适用场景: 酒店、家庭等	认证: 国家CCC安全认证

暖灰、黑色两种颜色可选




K-612



K-612W

产品细节展示

系列化外观设计
双层设计，安全防烫



国际食品级304不锈钢内胆
健康无异味，干烧不变形



伸缩绕线底座
方便收纳



方便拔插的电源插头
方便快捷，专利号ZL201630490902.8

全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电水壶 K-100

系列化外观设计，专利号ZL201430357779.3




产品参数

名 称: 电热水壶	额定电压: 220V
型 号: K-100	额定频率: 50Hz
尺 寸: 193 x 143 x 183mm	额定功率: 1500W
容 量: 0.8L	电源线: 0.75m
重 量: 918g	材 质: 内胆采用食品级304不锈钢
颜 色: 白色、暖灰、黑色	温控器: 英国STRIX温控器
适 用 场 景: 酒店、家庭等	认 证: 国家CCC安全认证

白色、暖灰、黑色三种颜色可选



产品细节展示



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电水壶 K-200

系列化外观设计，专利号ZL201730081374.5


白色、暖灰、黑色三种颜色可选



产品参数

名称：电热水壶	额定电压：220V
型号：K-200	额定频率：50Hz
尺寸：222 x 164 x 210mm	额定功率：1500W
容量：1.2L	电源线：0.75m
重量：1080g	材质：内胆采用食品级304不锈钢
颜色：白色、暖灰、黑色	温控器：英国STRIX温控器
适用场景：酒店、家庭等	认证：国家CCC安全认证

产品细节展示



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



白色、暖灰、黑色三种颜色可选



白色



暖灰



黑色

手电筒 FL-100/102


系列化外观设计/专利号ZL201430357809.0



产品参数

名称: 手电筒	照明时间: 24小时以上
型 号: FL-100/FL-102	适配器: 100 - 240V; 50/60HZ
电池容量: F-100: 4.2V-2500mAH	额定功率: 1.5W
F-102电池规格:	尺寸: 46 x 46 x 182mm
LR6 AA 1.5V 5号电池×2	重量: 166g/118g (不含电池)

产品细节展示



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



高速吹风机 HD-900

110,000转高速无刷电机/智能控温/2亿高浓度负离子

太空灰、中国红两种颜色可选



产品参数

产品名称: 高速吹风机

产品型号: HD-900

尺寸: 94x71x251mm

145x71x251mm(含聚风嘴)

重量: 587g (含聚风嘴)

电源线: 1.8m

颜色: 太空灰、中国红

额定电源: 220V~ 50Hz

额定功率: 1600W

温度选择: 热风、暖风、自然风、循环风

风速选择: 高风速、低风速

三色灯环: 蓝色- 常温(自然风)、

橙色- 暖风、红色- 热风

适用场景: 家庭、酒店等

产品细节展示

自研自产高速无刷电机
最高11万转/分, 20m/s超高速



2档风速, 4档温度
多种吹发模式, 随意切换



磁吸进风口滤网
清洁滤网自动提醒、一键反转清洁



NTC智能温控
100t/s恒温算法, 实时监测温度

三色灯环, 让温度看得见

蓝色- 常温(自然风)、橙色- 暖风、红色- 热风





吹风机 HD-616/618

散发千万级的负离子，更养护发质

暖灰、太空灰两种颜色可选



暖灰



太空灰



产品参数

名 称：吹风机

型 号：HD-616/618

尺 寸：74 x 106 x 248mm

74 x 161 x 248mm (含聚风嘴)

聚风嘴类型：可拆卸

重 量：492g/499g

颜 色：暖灰、太空灰

适 用 场 景：酒店、家庭等

电吹风
HD-616/618

产品细节展示



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



手持挂烫机 I-900

高温蒸汽，软化衣物，去除褶皱



产品参数

产品名称：手持挂烫机

产品型号：I-900

尺寸：171x211x89mm

重量：638g

电源线长度：1.8m

颜色：暖灰、太空灰、黑色

适用场景：家庭、酒店等

额定电源：220V~ 50Hz

额定功率：1000W

蒸汽量：>18g/min

蒸汽温度：>130°C

连续蒸汽时间：4-5min

蒸汽喷射距离：>30cm

水箱容量：100ml

暖灰/太空灰/黑色三种颜色可选



产品细节展示

手持挂烫机非常易于使用

适用于大多数服装



平熨、挂烫两种模式

灵活变换

一键出蒸汽

大蒸汽量里外渗透衣物纤维，抚平顽固褶皱



30秒内快速预热

短时预热不等待

可视化、拆卸水箱

方便加水，安全使用



全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



电熨斗 I-100

系列化外观设计，专利号ZL201430357433.3



产品参数

产品名称: 电熨斗	额定电压: 220V
产品型号: I-100	额定频率: 50Hz
尺寸: 258x107x132mm	额定功率: 1600W
重量: 1220g	水箱容量: 130ml
颜色: 白色、暖灰、黑色	调温范围: 90-220°C
适用场景: 家庭、酒店等	认证: 国家CCC安全认证

白色、暖灰、黑色三种颜色可选



白色



暖灰



黑色

产品细节展示

超大熨烫底板

熨物更快速



熨烫底板采用耐高温陶瓷打造

更耐热，不粘衣

蒸汽温度90-220°C可调

熨物范围广



auto-off

自动断电

三态自动断电

安全节能

防滴漏设计

安全放心



antidrip

防滴漏设计

全球酒店电话机行业的缔造者
打造全球酒店客房陈设标准化



人体秤 S-100/S-105

系列化外观设计，专利号ZL201430357604.2



产品参数


产品名称: 人体秤
产品型号: S-100/S-105
尺寸: 290 x 290 x31mm
290 x 290 x28mm
重量: 2205g/1615g
颜色: 白色、暖灰、黑色

额定电源: 3节5号电池
低电压提示: 电压低于3.3V,
在开机工作时电池符号闪烁
称重范围: 3.0-200kg
显示: LED白光贴片灯
(称重数值、重量单位、电量)

白色、暖灰、黑色三种颜色可选



产品细节展示





TELEPHONE:

+ 86 (021) 623 318 29

MOBILE/ WHATSAPP / WECHAT:

+ 86 156 1897 7665

HEADQUARTERS:

WEST ZHONGSHAN ROAD 179, SECOND FLOOR,
ROOM 2P, CHANGNING DISTRICT, SHANGHAI, CHINA, 200051

EMAIL:

INFO@HAOFLEX.COM

WEB:

[HTTPS://WWW.HAOFLEX.COM/](https://www.haoflex.com/)