



Hotel and Commercial Space

Complete & Flexible Solution for Your Commercial Space





CHANDELIERS,
LAMPS, TRACK
LIGHTING, NEON
LIGHTS AND OTHERS






Koi

1-12



Hazy

13-18



Apple

19-22



Blooming

23-28



Empire

29-46



Thor

47-60



Queen

61-70



Adam

71-75




May

76-86



Breeze

87-94



Flavour

95-100



Cross

101-104



Moon

105-110



Duch

111-118



Gem

119-122

Koi




Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Satin nickel
Ref. 450206C01
Size: $\Phi 600 \times H1500 + \Phi 450 \times H1500$
Power: 50W+40W

● Gold
Ref. 450206D01
Size: $\Phi 600 \times H1500 + \Phi 450 \times H1500$
Power: 50W+40W

Pendant



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90


● Satin nickel
Ref. 450201C04
Size: $\Phi 600 \times H1500$
Power: 50W

● Gold
Ref. 450201D04
Size: $\Phi 600 \times H1500$
Power: 50W

● Satin nickel
Ref. 450201C05
Size: $\Phi 600 \times H1500$
Power: 40W

● Gold
Ref. 450201D05
Size: $\Phi 450 \times H1500$
Power: 40W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Satin nickel
Ref. 450201C06
Size: L1200*W115*H1500
Power: 26W

● Gold
Ref. 450201D06
Size: L1200*W115*H1500
Power: 26W

Wall



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Satin nickel
Ref. 750201C03
Size: L620*W60*EX80
Power: 15W

● Gold
Ref. 750201D03
Size: L620*W60*EX80
Power: 15W

Table




Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Satin nickel
Ref. 150201C01
Size: L110*W110*H440
Power: 10W

● Gold
Ref. 150201D01
Size: L110*W110*H440
Power: 10W

Floor



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Satin nickel
Ref. 250201C02
Size: L180*W180*H1390
Power: 30W

● Gold
Ref. 250201D02
Size: L180*W180*H1390
Power: 30W



Hazy



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Sand black + gold
Ref. 450101A03
Size: L1200*W115*H1500
Power: 46W



● Sand black + gold
Ref. 450101A02
Size: L1200*W115*H1500
Power: 46W

Pendant



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Sand black + gold
Ref. 450401B01
Size: $\Phi 400 \times H1500$
Power: 38W

Pendant



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Sand black + gold
Ref. 450401A01
Size: Φ 400*H1500
Power: 38W

Apple



Pendant



Material: Iron + Aluminum + Glass
LED 2700K RA>90

● Satin nickel
Ref. 450301A01
Size: $\Phi 160 \times H1500$
Power: 13W

● Bronze
Ref. 450301B01
Size: $\Phi 160 \times H1500$
Power: 13W

Pendant



Material: Iron + Aluminum + Glass
LED 2700K RA>90

● Satin nickel

Ref. 450303A01

Size: L1160*W80*H1500

Power: 39W

● Bronze

Ref. 450303B01

Size: L1160*W80*H1500

Power: 39W

Pendant



Material: Iron + Aluminum + Glass
LED 2700K RA>90

● Satin nickel

Ref. 450303A02

Size: Φ500*H1500

Power: 39W

● Bronze

Ref. 450303B02

Size: Φ500*H1500

Power: 39W

Blooming



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Brush aluminium
Ref. 451004A01
Size: $\Phi 690 \times H 1500$
Power: 39W

● Gold
Ref. 451004B01
Size: $\Phi 690 \times H 1500$
Power: 39W

Pendant



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K-6000K RA>90

● Brush aluminium
Ref. 451004A02
Size: $\Phi 450 \times H1500$
Power: 39W

● Gold
Ref. 451004B02
Size: $\Phi 450 \times H1500$
Power: 39W



Wall



Material: Iron + Aluminum + acrylic
 LED 2700K-6000K RA>90

● Brush aluminium
 Ref. 751001A01
 Size: L120*W400*EX165
 Power: 11W

● Gold
 Ref. 751001B01
 Size: L120*W400*EX165
 Power: 11W

Empire



Material: Iron + Aluminum + acrylic
LED 2700K RA>90


● Gold
Ref. 427056A01
Size: $\Phi 825 \times H1500 + \Phi 640 \times H1500$
Power: 80W



Empire



Pendant




Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 427032A01
Size: Φ 825*H1500mm
Power: 45W

● Bronze
Ref. 427032B01
Size: Φ 825*H1500mm
Power: 45W

● Black
Ref. 427032C01
Size: Φ 825*H1500mm
Power: 45W



Ceiling



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 527048A02
Size: $\Phi 775 \times H310$ mm
Power: 54W

● Aluminum
Ref. 527048C01
Size: $\Phi 775 \times H310$ mm
Power: 54W

● Black
Ref. 527048D01
Size: $\Phi 775 \times H310$ mm
Power: 54W

Ceiling



Ceiling

Ceiling



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 527048A02
Size: $\Phi 920 \times H222\text{mm}$
Power: 54W

● Bronze
Ref. 527048B02
Size: $\Phi 920 \times H222\text{mm}$
Power: 54W

● Aluminum
Ref. 527048C02
Size: $\Phi 920 \times H222\text{mm}$
Power: 54W

Pendant



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 427016A01
Size: 1235*190*1500mm
Power: 30W

● Bronze
Ref. 427016B01
Size: 1235*190*1500mm
Power: 30W

● Red bronze
Ref. 427016C01
Size: 1235*190*1500mm
Power: 30W

Pendant



Ceiling



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 527012A01
Size: 925*190*110mm
Power: 23W

● Bronze
Ref. 527012B01
Size: 925*190*110mm
Power: 23W

● Black
Ref. 527012C01
Size: 925*190*110mm
Power: 23W

Wall




Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 727008A01
Size: 620*190*70mm
Power: 15W

● Bronze
Ref. 727008B01
Size: 620*190*70mm
Power: 15W

● Black
Ref. 727008C01
Size: 620*190*70mm
Power: 15W

Table



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 127006A01
Size: 200*100*575mm
Power: 11W

● Bronze
Ref. 127006B01
Size: 200*100*575mm
Power: 11W

● White
Ref. 127006E01
Size: 200*100*575mm
Power: 11W

Floor



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 227008A01
Size: 280*180*1500
Power: 12W

● Rose gold
Ref. 227008B01
Size: 280*180*1500
Power: 12W

Thor



Pendant




Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 429772A01
Size: Φ830*H1500+Φ670*H1500
Power: 105W


● Gold
Ref. 429740A01
Size: Φ830*H1500
Power: 60W

● Gold
Ref. 429732A01
Size: Φ670*H1500
Power: 48W

Thor



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Rose gold
Ref. 429772B01
Size: $\Phi 830 \times H1500 + \Phi 670 \times H1500$
Power: 105W

● Rose gold
Ref. 429740B01
Size: $\Phi 830 \times H1500$
Power: 60W

● Rose gold
Ref. 429732B01
Size: $\Phi 670 \times H1500$
Power: 48W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 429716A01
Size: L1000*W140*H1500
Power: 24W

● Rose gold
Ref. 429716B01
Size: L1000*W140*H1500
Power: 24W

Pendant



Ceiling



Ceiling



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 529748A01
Size: $\Phi 710 \times H175$
Power: 70W

● Gold
Ref. 529736A01
Size: $\Phi 710 \times H175$
Power: 54W

● Gold
Ref. 529718A01
Size: $\Phi 540 \times H157$
Power: 27W

Wall



Wall



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 729710A01
Size: L620*W140*EX70
Power: 16W

● Rose gold
Ref. 729710A01
Size: L620*W140*EX70
Power: 16W

● Dark grey
Ref. 729710A01
Size: L620*W140*EX70
Power: 16W


Table



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 129707A01
Size: L200*W100*H525
Power: 12W

Floor



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 229709A01
Size: L280*W180*H1680
Power: 14W

Queen



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 429672A01
Size: $\Phi 830 \times H1500 + \Phi 670 \times H1500$
Power: 105W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 429632A01
Size: $\Phi 670 \times H1500$
Power: 48W

● Gold
Ref. 429640A01
Size: $\Phi 830 \times H1500$
Power: 60W

Queen



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Rose gold
Ref. 429672B01
Size: $\Phi 830 \times H1500 + \Phi 670 \times H1500$
Power: 105W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 429632B01
Size: $\Phi 670 \times H1500$
Power: 48W

● Gold
Ref. 429640B01
Size: $\Phi 830 \times H1500$
Power: 60W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

- Gold
Ref. 429620A01
Size: L1250*W140*H1500
Power: 30W
- Rose gold
Ref. 429620B01
Size: L1250*W140*H1500
Power: 30W

Ceiling



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

- Gold
Ref. 529616A01
Size: L1000*W140*H105
Power: 24W
- Rose gold
Ref. 529616B01
Size: L1000*W140*H105
Power: 24W

Ceiling



Ceiling



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Dark grey
Ref. 529648C02
Size: $\Phi 627 \times H250$
Power: 70W

● Dark grey
Ref. 529636C02
Size: $\Phi 627 \times H250$
Power: 54W

● Dark grey
Ref. 529618C02
Size: $\Phi 410 \times H250$
Power: 27W

Ceiling



Ceiling



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Rose gold
Ref. 529648B01
Size: $\Phi 710 \times H175$
Power: 70W

● Rose gold
Ref. 529636B01
Size: $\Phi 710 \times H175$
Power: 54W

● Rose gold
Ref. 529618B01
Size: $\Phi 540 \times H157$
Power: 27W

Adam



Pendant



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Aluminum
Ref. 424802B04
Size: 1200*300*1500mm
Power: 65+6W

● Black+White
Ref. 424802C04
Size: 1200*300*1500mm
Power: 65+6W



Material: Aluminum, acrylic
LED 2835 3000K CRI>80

● Rose gold
Ref. 424802A04
Size: 1200*300*1500mm
Power: 65+6W

● Bronze+Rose gold
Ref. 424802D04
Size: 1200*300*1500mm
Power: 65+6W

Pendant



Pendant

May



Pendant



Pendant



Ceiling

Material: Aluminum, acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

OWhite
Ref. 526213A01
Size: $\phi 645 \times 95$ mm
Power: 74W





Ceiling

Material: Aluminum, acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

●Black
Ref. 526213B01
Size: $\phi 645 \times 95$ mm
Power: 74W





Ceiling

Material: Aluminum, acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

OWhite
Ref. 526219A01
Size: $\phi 745 \times 100$ mm
Power: 108W






圣雷吉斯酒店
ST. REGIS HOTEL





ST. REGIS HOTEL




ST. REGIS HOTEL

ST. REGIS HOTEL







ST. REGIS HOTEL



喜来登酒店
SHERATON HOTEL








SHERATON HOTE

SHERATON HOTE





义乌香格里拉大酒店
YIWU SHANGRI-LA GRAND
HOTEL







YIWU SHANGRI-LA GRAND HOTEL





YIWU SHANGRI-LA GRAND HOTEL




YIWU SHANGRI-LA GRAND HOTEL



武汉万达瑞华酒店
WUHAN WANDA RUIHUA
HOTEL










WUHAN WANDA RUIHUA HOTEL



华侨城茵特拉根大酒店
INTERLAKEN OCT
HOTEL








INTERLAKEN OCTHOTEL







天津万达文华酒店
WANDA VISTA HOTEL
TIANJIN







WANDA VISTA HOTEL TIANJIN



WANDA VISTA HOTEL TIANJIN



长沙万达文华酒店
WANDA VISTA HOTEL
CHANGSHA










WANDA VISTA HOTEL CHANGSHA



WANDA VISTA HOTEL CHANGSHA



WANDA VISTA HOTEL CHANGSHA



南昌万达嘉华酒店
WANDA REALM NANCHANG
HOTEL









WANDA REALM NANCHANG HOTEL

以人情感为出发点，从人的角度去创造一种意境般的光照环境，旨在营造一种漂亮、绚丽的光照环境，去烘托场景效果，使人感觉到有场景氛围。





WANDA REALM NANCHANG HOTEL

别出心裁的设计，弥漫着芬芳，奢华不失优雅：水晶与光的呼应，绽放的光芒如薄的美丽，精致宁静；菱形水晶和高低户弧形组合，明亮轻快的气息呼之欲出。



哈尔滨万达嘉华酒店
WANDA REALM HARBIN
HOTEL





WANDA REALM HARBIN HOTEL



灯光顺着飘逸的水晶镀金飞坠，让你不由自主的伸出手想接住这些跳跃的光精灵，充满富丽堂皇的情调。



WANDA REALM HARBIN HOTEL



WANDA REALM HARBIN HOTEL



浙江宁波万达索菲特酒店
SUOFEITE HOTEL NINGBO
WANDA ZHEJIANG








在造型上极其讲究，给人的感觉端庄典雅、高贵华丽，具有浓厚的文化气息。配以精致的雕刻，整体营造出一种华丽、高贵、温馨的感觉。



Appreciation of classic engineering cases








Appreciation of classic engineering cases




Appreciation of classic engineering cases

Appreciation of classic engineering cases







Appreciation of classic engineering cases




















Appreciation of classic engineering cases




Appreciation of classic engineering cases












Appreciation of classic engineering cases









Appreciation of classic engineering cases









Appreciation of classic engineering cases













Appreciation of classic engineering cases





Appreciation of classic engineering cases



Appreciation of classic engineering cases






Appreciation of classic engineering cases



Appreciation of classic engineering cases






Appreciation of classic engineering cases







Appreciation of classic engineering cases

















































Ritz-carlton Hotel In Paris Project Case

Professional Bespoke Engineering Lamps

专业定制工程灯具



Sheraton Hotel in Dhaka Project Case



Crown Plaza Hotel Project Case



Hyatt Regency In Paris Project Case



JW Marriott Hotels & Resorts in Venice Project Case



Four Seasons Hotel in Moscow Project Case



International Hotel Dannang Viet Nam Project Case




LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects




君和君泰 ★★★★★
君和君泰灯饰项目工程案例



LIGHTING PROJECTS GALLERY



Thousands of Globally
Realized Successful Projects



SHERATON ★★★★★
喜来登五星级酒店巴纳尼达卡
Waterfront Sri Lanka Project Case



Thousands of Globally
Realized Successful Projects






Waterfront Sri Lanka Project Case





LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects






RENAISSANCE DHAKA
GULSHAN HOTEL PROJECT CASE





Thousands of Globally
Realized Successful Projects

Thousands of Globally
Realized Successful Projects

招商局游轮项目案例
Case of China Merchants Cruise Ship Project

LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects




豪华山庄别墅工程项目案例
Luxury villa project project case



LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects





北京亚舍汤泉会所案例
Beijing Ashe Tangquan Club case



LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects



LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects



ANGSANA



Angsana Xishuangbanna Hotel Project Case




Project Completion




LIGHTING PROJECTS GALLERY

Thousands of Globally
Realized Successful Projects



- **Material:**
Mirror Stainless Steel Sheet
Transparent acrylic pipe
- ▣ **Shade Size**
D500mmxH5860mm
- 💡 **Light Source**
LED, 3W 3000K
- * **Lamp Type**
Flexible LED filament
- / **Drawing**



艾锡亚高空观光精品酒店案例




LIGHTING PROJECTS GALLERY


Thousands of Globally
Realized Successful Projects



Bangladesh Marriott Project Case



- **Material:**
Mirror Stainless Steel Sheet
and Glass Ball
- ▣ **Shade Size**
D30000mmxH3650mm
- 💡 **Light Source**
3000K 180 Nos. GU10 5W
- ★ **Lamp Type**
LED Spot Light



LIGHTING PROJECTS GALLERY


Thousands of Globally
Realized Successful Projects





WESTIN *****
HOTELS & RESORTS




PRODUCT RENDERING



3D Design Drawing






3D Design Drawing




CAD Schedule Drawing

DRAWING AND FINISH




Project Gallery


The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Hyatt Place Hyderabad/Banjara Hills




Ritz-Carlton Hotel in Abu Dhabi-Grand Canal




Marriott Hotel Downtown, Abu Dhabi

Project Gallery


The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Radisson Blu Hotel | Dhaka



Sheraton Hotel | Dhaka



Intercontinental Hotel | Dhaka

Bespoke Crystal and Glass Chandelier


The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Handmade glass ball chandelier Can be bespoke and design with the same shape and structure




Deco crystal chandelier Can be bespoke and design with the same shape and structure




Modern Bubble Crystal Lighting Chandeliers Can be bespoke and design with the same shape and structure

Bespoke Crystal and Glass Chandelier

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Coloured glazed stone decorative lamp | Can be bespoke and design with the same shape and structure



Interwoven frame + Coloured glazed ribbon lamp | Can be bespoke and design with the same shape and structure



Raindrop star lamp | Can be bespoke and design with the same shape and structure

Modern Glass Table lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00001
Size: 500mmX238mm



NO.: RCM-00002
Size: 510mmX218mm



NO.: RCM-00003
Size: 550mmX248mm



NO.: RCM-00004
Size: 545mmX232mm



NO.: RCM-00005
Size: 532mmX228mm



NO.: RCM-00006
Size: 485mmX230mm



NO.: RCM-00007
Size: 510mmX215mm



NO.: RCM-00008
Size: 550mmX248mm



NO.: RCM-00009
Size: 511mmX200mm



NO.: RCM-00010
Size: 512mmX220mm



NO.: RCM-00011
Size: 530mmX280mm



NO.: RCM-00012
Size: 495mmX290mm



NO.: RCM-00013
Size: 498mmX312mm



NO.: RCM-00014
Size: 452mmX362mm



NO.: RCM-00015
Size: 513mmX230mm



NO.: RCM-00016
Size: 500mmX238mm



NO.: RCM-00017
Size: 510mmX218mm



NO.: RCM-00018
Size: 550mmX248mm



NO.: RCM-00019
Size: 545mmX232mm



NO.: RCM-00020
Size: 532mmX228mm

Modern Glass Table lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



>>> If you have design [Table lamp](#) needs?
We can bespoke the lighting for you.
The production delivery time is 45 days.



NO.: RCM-00021
Size: 550mmX248mm



NO.: RCM-00022
Size: 545mmX232mm



NO.: RCM-00023
Size: 532mmX228mm



NO.: RCM-00024
Size: 480mmX248mm



NO.: RCM-00025
Size: 491mmX200mm



NO.: RCM-00026
Size: 492mmX220mm



NO.: RCM-00027
Size: 530mmX280mm



NO.: RCM-00028
Size: 499mmX245mm



NO.: RCM-00029
Size: 498mmX260mm



NO.: RCM-00030
Size: 495mmX280mm



NO.: RCM-00031
Size: 488mmX285mm



NO.: RCM-00032
Size: 450mmX220mm



NO.: RCM-00033
Size: 510mmX218mm



NO.: RCM-00034
Size: 550mmX248mm



NO.: RCM-00035
Size: 545mmX232mm



NO.: RCM-00036
Size: 532mmX228mm

Bespoke Creative Table Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00037
Size: 500mmX238mm



NO.: RCM-00038
Size: 510mmX218mm



NO.: RCM-00039
Size: 550mmX248mm



NO.: RCM-00040
Size: 545mmX232mm



NO.: RCM-00041
Size: 532mmX228mm



NO.: RCM-00057
Size: 530mmX230mm



NO.: RCM-00058
Size: 455mmX295mm



NO.: RCM-00059
Size: 458mmX312mm



NO.: RCM-00060
Size: 432mmX302mm



NO.: RCM-00061
Size: 432mmX305mm



NO.: RCM-00042
Size: 485mmX230mm



NO.: RCM-00043
Size: 510mmX215mm



NO.: RCM-00044
Size: 550mmX248mm



NO.: RCM-00045
Size: 511mmX200mm



NO.: RCM-00046
Size: 512mmX200mm



NO.: RCM-00062
Size: 530mmX260mm



NO.: RCM-00063
Size: 455mmX295mm



NO.: RCM-00064
Size: 458mmX312mm



NO.: RCM-00065
Size: 432mmX302mm



NO.: RCM-00066
Size: 433mmX305mm



NO.: RCM-00047
Size: 530mmX260mm



NO.: RCM-00048
Size: 495mmX295mm



NO.: RCM-00049
Size: 498mmX312mm



NO.: RCM-00050
Size: 432mmX422mm



NO.: RCM-00051
Size: 433mmX305mm



NO.: RCM-00067
Size: 530mmX260mm



NO.: RCM-00068
Size: 455mmX295mm



NO.: RCM-00069
Size: 458mmX312mm



NO.: RCM-00070
Size: 432mmX302mm



NO.: RCM-00071
Size: 433mmX305mm



NO.: RCM-00052
Size: 500mmX238mm



NO.: RCM-00053
Size: 510mmX218mm



NO.: RCM-00054
Size: 550mmX248mm



NO.: RCM-00055
Size: 545mmX232mm



NO.: RCM-00056
Size: 532mmX228mm



NO.: RCM-00072
Size: 530mmX260mm



NO.: RCM-00073
Size: 455mmX295mm



NO.: RCM-00074
Size: 458mmX312mm



NO.: RCM-00075
Size: 432mmX302mm



NO.: RCM-00076
Size: 533mmX305mm

Bespoke Creative Table Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Modern Glass Pendant Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



>>> If you have design **Pendant Lamp** needs?
We can bespoke the lighting for you.
The production delivery time is 45 days.



NO.: RCM-00081
Size: 180mmx80mm



NO.: RCM-00082
Size: 150mmx60mm



NO.: RCM-00083
Size: 200mmx100mm



NO.: RCM-00084
Size: 180mmx110mm



NO.: RCM-00085
Size: 150mmx90mm



NO.: RCM-00086
Size: 180mmx80mm



NO.: RCM-00087
Size: 200mmx80mm



NO.: RCM-00088
Size: 220mmx80mm



NO.: RCM-00089
Size: 150mmx80mm



NO.: RCM-00090
Size: 180mmx80mm



NO.: RCM-00091
Size: 200mmx80mm



NO.: RCM-00092
Size: 220mmx80mm



NO.: RCM-00093
Size: 150mmx80mm



NO.: RCM-00094
Size: 180mmx80mm



NO.: RCM-00095
Size: 200mmx80mm



NO.: RCM-00096
Size: 220mmx80mm

© 2019 RCM

Modern Glass Pendant Lamp

R&C Project Case

© 2019 RCM



NO.: RCM-00089
Size: 180mmx350mm



NO.: RCM-00090
Size: 160mmx60mm



NO.: RCM-00093
Size: 90mmx70mm



NO.: RCM-00094
Size: 110mmx80mm



NO.: RCM-00095
Size: 90mmx90mm



NO.: RCM-00096
Size: 220mmx140mm



NO.: RCM-00097
Size: 120mmx100mm



NO.: RCM-00098
Size: 250mmx230mm



NO.: RCM-00099
Size: 120mmx100mm



NO.: RCM-00100
Size: 150mmx100mm



NO.: RCM-00102
Size: 200mmx200mm



NO.: RCM-00101
Size: 130mmx100mm



NO.: RCM-00103
Size: 200mmx200mm

Bespoke Creative Pendant Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00104
Size: 2100mmx1700mm

NO.: RCM-00105
Size: 2600mmx2340mm



>>> If you have design [Creative Pendant Lamp](#) needs?
We can bespoke the lighting for you.
The production delivery time is 45 days.



NO.: RCM-00106
Size: 3200mmx100mm



NO.: RCM-00107
Size: 1500mmx1205mm



NO.: RCM-00108
Size: 1800mmx1550mm



NO.: RCM-00109
Size: 1800mmx1450mm



NO.: RCM-00110
Size: 1500mmx1200mm



NO.: RCM-00115
Size: 1350mmx600mm



NO.: RCM-00116
Size: 1800mmx850mm



NO.: RCM-00117
Size: 1650mmx1350mm



NO.: RCM-00118
Size: 1350mmx900mm



NO.: RCM-00119
Size: 900mmx600mm



NO.: RCM-00120
Size: 2000mmx1000mm



NO.: RCM-00121
Size: 1250mmx950mm



NO.: RCM-00122
Size: 750mmx550mm



NO.: RCM-00111
Size: 532mmx228mm



NO.: RCM-00112
Size: 1200mmx1000mm



NO.: RCM-00113
Size: 532mmx228mm



NO.: RCM-00114
Size: 1350mmx950mm



NO.: RCM-00127
Size: 600mmx450mm



NO.: RCM-00128
Size: 450mmx450mm



NO.: RCM-00129
Size: 1600mmx670mm



NO.: RCM-00130
Size: 600mmx300mm

Bespoke Creative Pendant Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Bespoke Creative Wall Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00131
Size: 500mmX230mm



NO.: RCM-00132
Size: 510mmX218mm



NO.: RCM-00133
Size: 550mmX248mm




NO.: RCM-00134
Size: 545mmX232mm



NO.: RCM-00135
Size: 532mmX230mm



NO.: RCM-00151
Size: 1530mmX380mm



NO.: RCM-00152
Size: 1560mmX412mm



NO.: RCM-00153
Size: 550mmX248mm



NO.: RCM-00154
Size: 545mmX232mm



NO.: RCM-00156
Size: 510mmX228mm



NO.: RCM-00157
Size: 531mmX300mm



NO.: RCM-00158
Size: 1600mmX450mm



NO.: RCM-00136
Size: 485mmX230mm



NO.: RCM-00137
Size: 510mmX215mm



NO.: RCM-00138
Size: 550mmX248mm



NO.: RCM-00139
Size: 511mmX200mm



NO.: RCM-00140
Size: 512mmX200mm



NO.: RCM-00141
Size: 530mmX280mm



NO.: RCM-00142
Size: 495mmX295mm



NO.: RCM-00143
Size: 498mmX312mm



NO.: RCM-00144
Size: 452mmX362mm



NO.: RCM-00145
Size: 433mmX305mm



NO.: RCM-00159
Size: 530mmX260mm



NO.: RCM-00160
Size: 459mmX295mm



NO.: RCM-00161
Size: 498mmX312mm



NO.: RCM-00162
Size: 522mmX325mm



NO.: RCM-00163
Size: 433mmX355mm



NO.: RCM-00146
Size: 500mmX238mm



NO.: RCM-00147
Size: 510mmX218mm



NO.: RCM-00148
Size: 550mmX248mm



NO.: RCM-00149
Size: 545mmX232mm



NO.: RCM-00150
Size: 532mmX230mm



NO.: RCM-00164
Size: 500mmX238mm



NO.: RCM-00165
Size: 510mmX210mm



NO.: RCM-00166
Size: 550mmX248mm



NO.: RCM-00167
Size: 545mmX252mm



NO.: RCM-00168
Size: 480mmX420mm

Bespoke Creative Wall Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



Bespoke Creative Wall Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00169
Size: 1620mmX380mm

NO.: RCM-00170
Size: 1580mmX365mm

NO.: RCM-00171
Size: 1610mmX330mm

NO.: RCM-00172
Size: 1580mmX318mm

NO.: RCM-00173
Size: 1550mmX384mm

NO.: RCM-00174
Size: 1532mmX369mm

NO.: RCM-00175
Size: 1690mmX372mm



NO.: RCM-00176
Size: 1560mmX396mm

NO.: RCM-00177
Size: 1510mmX368mm

NO.: RCM-00178
Size: 1460mmX438mm

NO.: RCM-00179
Size: 932mmX453mm

NO.: RCM-00180
Size: 1520mmX396mm

NO.: RCM-00181
Size: 1639mmX287mm

NO.: RCM-00182
Size: 1562mmX373mm



NO.: RCM-00183
Size: 1593mmX450mm

NO.: RCM-00184
Size: 1620mmX459mm

NO.: RCM-00185
Size: 1593mmX468mm

NO.: RCM-00186
Size: 1575mmX385mm

NO.: RCM-00187
Size: 1530mmX396mm

NO.: RCM-00188
Size: 1630mmX775mm

Bespoke Creative Wall Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00190
Size: 1620mmX358mm

NO.: RCM-00191
Size: 1592mmX319mm

NO.: RCM-00192
Size: 1570mmX297mm

NO.: RCM-00193
Size: 1567mmX396mm

NO.: RCM-00194
Size: 1520mmX338mm

NO.: RCM-00195
Size: 1620mmX375mm

NO.: RCM-00196
Size: 1610mmX283mm



NO.: RCM-00197
Size: 1650mmX450mm

NO.: RCM-00198
Size: 1460mmX362mm

NO.: RCM-00199
Size: 1576mmX563mm

NO.: RCM-00200
Size: 1553mmX380mm

NO.: RCM-00201
Size: 1581mmX336mm



NO.: RCM-00202
Size: 1686mmX1200mm

NO.: RCM-00203
Size: 1720mmX1100mm

NO.: RCM-00204
Size: 1750mmX1210mm

Bespoke Creative Desk Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00205
Size: 52mmx420mm



NO.: RCM-00206
Size: 53mmx489mm



NO.: RCM-00207
Size: 52mmx520mm



NO.: RCM-00208
Size: 52mmx488mm



NO.: RCM-00209
Size: 498mmx479mm



NO.: RCM-00210
Size: 545mmx492mm



NO.: RCM-00211
Size: 525mmx496mm



NO.: RCM-00212
Size: 492mmx532mm



NO.: RCM-00213
Size: 530mmx482mm



NO.: RCM-00214
Size: 512mmx513mm



NO.: RCM-00230
Size: 560mmx435mm



NO.: RCM-00231
Size: 523mmx488mm



NO.: RCM-00232
Size: 560mmx385mm



NO.: RCM-00233
Size: 532mmx485mm



NO.: RCM-00234
Size: 532mmx483mm



NO.: RCM-00235
Size: 515mmx432mm



NO.: RCM-00236
Size: 527mmx510mm



NO.: RCM-00237
Size: 535mmx515mm



NO.: RCM-00238
Size: 542mmx520mm



NO.: RCM-00239
Size: 533mmx498mm



NO.: RCM-00215
Size: 510mmx385mm



NO.: RCM-00216
Size: 496mmx418mm



NO.: RCM-00217
Size: 525mmx420mm



NO.: RCM-00218
Size: 485mmx388mm



NO.: RCM-00219
Size: 468mmx323mm



NO.: RCM-00240
Size: 535mmx485mm



NO.: RCM-00241
Size: 489mmx325mm



NO.: RCM-00242
Size: 487mmx323mm



NO.: RCM-00243
Size: 495mmx428mm



NO.: RCM-00244
Size: 517mmx435mm



NO.: RCM-00220
Size: 475mmx465mm



NO.: RCM-00221
Size: 475mmx465mm



NO.: RCM-00222
Size: 430mmx320mm



NO.: RCM-00223
Size: 395mmx350mm



NO.: RCM-00224
Size: 410mmx350mm



NO.: RCM-00245
Size: 480mmx320mm



NO.: RCM-00246
Size: 520mmx485mm



NO.: RCM-00247
Size: 490mmx380mm



NO.: RCM-00248
Size: 545mmx430mm



NO.: RCM-00249
Size: 545mmx455mm



NO.: RCM-00225
Size: 518mmx480mm



NO.: RCM-00226
Size: 489mmx385mm



NO.: RCM-00227
Size: 490mmx375mm



NO.: RCM-00228
Size: 560mmx485mm



NO.: RCM-00229
Size: 530mmx390mm



NO.: RCM-00250
Size: 545mmx495mm



NO.: RCM-00251
Size: 550mmx380mm



NO.: RCM-00252
Size: 530mmx495mm



NO.: RCM-00253
Size: 510mmx460mm



NO.: RCM-00254
Size: 560mmx465mm

Bespoke Creative Desk Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



GuestRoom Reading LED Wall Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00255
Size: 185mmX55mm



NO.: RCM-00256
Size: 180mmX55mm



NO.: RCM-00257
Size: 190mmX55mm



NO.: RCM-00258
Size: 210mmX58mm



NO.: RCM-00259
Size: 200mmX55mm



NO.: RCM-00280
Size: 360mmX320mm



NO.: RCM-00281
Size: 380mmX310mm



NO.: RCM-00282
Size: 370mmX290mm



NO.: RCM-00283
Size: 520mmX430mm



NO.: RCM-00284
Size: 490mmX450mm



NO.: RCM-00260
Size: 210mmX65mm



NO.: RCM-00261
Size: 180mmX55mm



NO.: RCM-00262
Size: 180mmX55mm



NO.: RCM-00263
Size: 180mmX55mm



NO.: RCM-00264
Size: 185mmX68mm




NO.: RCM-00285
Size: 532mmX510mm



NO.: RCM-00286
Size: 550mmX320mm



NO.: RCM-00287
Size: 530mmX480mm



NO.: RCM-00288
Size: 480mmX390mm



NO.: RCM-00289
Size: 510mmX485mm



NO.: RCM-00265
Size: 185mmX55mm



NO.: RCM-00266
Size: 185mmX55mm



NO.: RCM-00267
Size: 185mmX58mm



NO.: RCM-00268
Size: 180mmX58mm



NO.: RCM-00269
Size: 230mmX230mm



NO.: RCM-00290
Size: 460mmX380mm



NO.: RCM-00291
Size: 470mmX390mm



NO.: RCM-00292
Size: 460mmX420mm



NO.: RCM-00293
Size: 420mmX380mm



NO.: RCM-00294
Size: 410mmX390mm



NO.: RCM-00270
Size: 255mmX285mm



NO.: RCM-00271
Size: 185mmX180mm



NO.: RCM-00272
Size: 185mmX180mm



NO.: RCM-00273
Size: 350mmX250mm



NO.: RCM-00274
Size: 250mmX280mm



NO.: RCM-00295
Size: 440mmX330mm



NO.: RCM-00296
Size: 420mmX320mm



NO.: RCM-00297
Size: 430mmX310mm



NO.: RCM-00298
Size: 480mmX435mm



NO.: RCM-00299
Size: 490mmX380mm



NO.: RCM-00275
Size: 440mmX380mm



NO.: RCM-00276
Size: 440mmX380mm



NO.: RCM-00277
Size: 460mmX380mm



NO.: RCM-00278
Size: 440mmX385mm



NO.: RCM-00279
Size: 430mmX410mm



NO.: RCM-00300
Size: 490mmX330mm



NO.: RCM-00301
Size: 490mmX330mm



NO.: RCM-00302
Size: 480mmX320mm



NO.: RCM-00303
Size: 360mmX280mm



NO.: RCM-00304
Size: 288mmX288mm

Bespoke Bathroom Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO.: RCM-00305
Size: 380mmX260mm



NO.: RCM-00306
Size: 410mmX220mm



NO.: RCM-00307
Size: 380mmX310mm



NO.: RCM-00308
Size: 280mmX228mm



NO.: RCM-00309
Size: 540mmX270mm



NO.: RCM-00331
Size: 550mmX250mm



NO.: RCM-00332
Size: 545mmX230mm



NO.: RCM-00333
Size: 480mmX250mm



NO.: RCM-00334
Size: 520mmX330mm



NO.: RCM-00335
Size: 540mmX260mm



NO.: RCM-00310
Size: 580mmX280mm



NO.: RCM-00311
Size: 530mmX350mm



NO.: RCM-00312
Size: 680mmX350mm



NO.: RCM-00313
Size: 532mmX230mm



NO.: RCM-00314
Size: 540mmX228mm



NO.: RCM-00336
Size: 532mmX210mm



NO.: RCM-00337
Size: 520mmX260mm



NO.: RCM-00338
Size: 532mmX228mm



NO.: RCM-00339
Size: 532mmX228mm



NO.: RCM-00340
Size: 520mmX230mm



NO.: RCM-00315
Size: 460mmX235mm



NO.: RCM-00316
Size: 470mmX238mm



NO.: RCM-00317
Size: 450mmX256mm



NO.: RCM-00318
Size: 460mmX260mm



NO.: RCM-00319
Size: 500mmX265mm



NO.: RCM-00341
Size: 520mmX240mm



NO.: RCM-00342
Size: 530mmX245mm



NO.: RCM-00343
Size: 540mmX250mm



NO.: RCM-00346
Size: 532mmX230mm



NO.: RCM-00348
Size: 498mmX260mm



NO.: RCM-00320
Size: 490mmX235mm



NO.: RCM-00321
Size: 532mmX238mm



NO.: RCM-00323
Size: 575mmX250mm



NO.: RCM-00324
Size: 530mmX238mm



NO.: RCM-00325
Size: 560mmX238mm



NO.: RCM-00347
Size: 485mmX310mm



NO.: RCM-00348
Size: 475mmX238mm



NO.: RCM-00349
Size: 480mmX255mm



NO.: RCM-00350
Size: 460mmX238mm



NO.: RCM-00351
Size: 465mmX238mm



NO.: RCM-00326
Size: 680mmX210mm



NO.: RCM-00327
Size: 650mmX220mm



NO.: RCM-00328
Size: 635mmX220mm



NO.: RCM-00329
Size: 460mmX345mm



NO.: RCM-00330
Size: 470mmX320mm



NO.: RCM-00352
Size: 900mmX600mm



NO.: RCM-00353
Size: 950mmX750mm



NO.: RCM-00354
Size: 950mmX850mm



NO.: RCM-00355
Size: 480mmX450mm



NO.: RCM-00356
Size: 460mmX380mm

Bespoke Bathroom Lamp

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



New Lamps and Hot Products

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO. : RCM-00358
Size : 550mmX300mm



NO. : RCM-00359
Size : 500mmX350mm



NO. : RCM-00360
Size : 500mmX335mm



NO. : RCM-00361
Size : 750mmX400mm



NO. : RCM-00362
Size : 510mmX320mm



NO. : RCM-00363
Size : 500mmX400mm



NO. : RCM-00364
Size : 545mmX520mm



NO. : RCM-00365
Size : 500mmX410mm



NO. : RCM-00373
Size : 3000mmX400mm



NO. : RCM-00374
Size : 3210mmX370mm



NO. : RCM-00375
Size : 2900mmX300mm



NO. : RCM-00376
Size : 2900mmX200mm



NO. : RCM-00365
Size : 480mmX410mm



NO. : RCM-00366
Size : 550mmX400mm



NO. : RCM-00367
Size : 530mmX410mm



NO. : RCM-00368
Size : 520mmX380mm



NO. : RCM-00377
Size : 800mmX300mm



NO. : RCM-00378
Size : 1300mmX180mm



NO. : RCM-00381
Size : 2120mmX1780mm



NO. : RCM-00382
Size : 3600mmX750mm



NO. : RCM-00369
Size : 512mmX350mm



NO. : RCM-00370
Size : 500mmX380mm



NO. : RCM-00371
Size : 520mmX320mm



NO. : RCM-00372
Size : 510mmX325mm



NO. : RCM-00379
Size : 1000mmX1000mm



NO. : RCM-00380
Size : 1200mmX1200mm

New Lamps and Hot Products

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



New Lamps and Hot Products

The hall | The guest rooms | The bathroom | The corridor | Office area | The restaurant | The banquet hall | The resort



NO. : RCM-00383
Size : 1520mmX670mm



NO. : RCM-00384
Size : 1800mmX500mm



NO. : RCM-00385
Size : 1330mmX420mm



NO. : RCM-00386
Size : 1830mmX380mm



NO. : RCM-00387
Size : 1780mmX500mm



NO. : RCM-00388
Size : 1680mmX700mm



NO. : RCM-00389
Size : 1600mmX1500mm



NO. : RCM-00390
Size : 1500mmX900mm



NO. : RCM-00391
Size : 1200mmX900mm



NO. : RCM-00392
Size : 1000mmX800mm



NO. : RCM-00393
Size : 1500mmX1500mm



NO. : RCM-00394
Size : 1500mmX930mm



NO. : RCM-00395
Size : 2100mmX1500mm



NO. : RCM-00396
Size : 2250mmX1500mm

BACK LIGHTING SOLUTIONS



Features

Powered by high output LUMILEDS or OSRAM LED, INFINEON IC.
 High light efficacy more than 150LM/W.
 Constant voltage, CC optional.
 No polarity limit input for CC and CV.
 Dimmable.
 Integrated transparent 170° optical lens.
 50/20 pcs per string.



Application

Apply to 6–20 cm depth signs at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT(K)
ZE02QC5	56*17*10.6	24V	2	0.66	100	6500
ZE04QC5	108*17*10.6	24V	4	1.32	200	6500



CRYSTAL PRIME



Features

Powered by high output OSRAM LED, INFINEON IC.
Constant current.
Integrated transparent 170° optical lens.
50 pcs per string.



Application

Apply to 6–15 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT(K)
ZR01QB1	27.8*15.4*10.4	12V	1	0.5	50	6500
ZR02QB1	52.8*15.4*10.4	12V	2	1.0	100	6500
ZR03QB1	77.8*15.4*10.4	12V	3	1.5	150	6500
ZR04QB1	47.3*40.3*10.4	12V	4	2.0	200	6500

CRYSTAL PEAK



Features

Powered by LUMILEDS LED, INFINEON IC.
High Efficacy>180LM/W.
Constant current.
Integrated transparent 170° optical lens.
20 pcs per string.



Application

Apply to 4–15 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT(K)
ZE01CB3	25*20*10.3	12V	1	0.36	65	6500
ZE02CB3	50*14.6*10.3	12V	2	0.72	130	6500
ZE03CB3	76*14.6*10.3	12V	3	1.08	195	6500
ZE04CB3	48*44*10.3	12V	4	1.2	215	6500

CRYSTAL MAGNET



LUMILEDS 170° 12V IP65 5 years



Features

Powered by LUMILEDS LED, INFINEON IC.
High Efficacy>150LM/W.
Constant current.
Integrated transparent 170° optical lens.
20 pcs per string.
Each module with two magnets behind for easy installation.



Application

Apply to 6–12 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
ZE03QBJ	71*17.5*10.1	12V	3	1.08	160	6500

SLIMBOX MINI HE



LUMILEDS 180° 12V IP65 5 years



Features

Powered by LUMILEDS LED.
High Efficacy>150LM/W.
Constant voltage
Clear 180° optical lens.
50 pcs per string.



Application

Apply to 2.5–4 cm depth single-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	Colors
ZE01BA8	21*13*5.5	12V	1	0.15	23	6400–6500

CRYSTAL MINI



Features

Powered by high output OSRAM LED.
Constant voltage.
Clear 180x140° optical lens.
40 pcs per string.



Application

Apply to 3–8 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
ZE01CA1	14*9*9.8	12V	1	0.24	31	7000
ZE02CA1	26*9*9	12V	2	0.48	62	7000
ZE03CA1	38*9*9	12V	3	0.72	92	7000

CRYSTAL MINI AC



Features

Powered by high output OSRAM LED, INFINEON IC.
Constant current.
Clear 148° optical lens.
25 pcs per string.



Application

Apply to 4–8 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
ZE03GG1	41.2*10.4*8.5	AC220V	3	1	113	6500–7500K
ZE04GG1	64.2*10.4*8.5	AC220V	4	1.2	125	6500–7500K

DIAMOND STANDARD



LUMILEDS 170° 12V IP65 5 years



Features

Powered by LUMILEDS LED, INFINEON IC.
Constant voltage, CC optional.
Diamondback 170° optical lens.
20 pcs per string.



Application

Apply to 4–15 cm depth illuminated letter or light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT (K)
ZE01BA3	36*17.5*6.2	12V	1	0.4	40	7000
ZE02BA3	56*17.5*6.2	12V	2	0.8	80	7000
ZE03BA3	80*17.5*6.2	12V	3	1.2	120	7000
ZE04BA3	45*43*6.2	12V	4	1.6	160	7000

CLASSIC CO-INPUT



LUMILEDS 160° 12/24V IP65 5 years



Features

Powered by LUMILEDS LED, INFINEON IC.
Constant current.
Clear 160° optical lens.
Maximum 50 pcs cascades in 24V, 20 pcs cascades in 12V.



Application

Apply to 6–18 cm depth signs at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT (K)
ZE03QBG	80*18*7.8	12/24V	3	1.2	158	6500

DIAMOND MINI RGB/CLASSIC RGBW



Features

Powered by high output 2835/5050 RGB LED.
Constant voltage.
Clear 160° optical lens.
20 pcs per string.



Application

Apply to 8–20 cm depth signs at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	Colors
ZE03QAT–Q	37*10.2*7	12V	3	0.65	R3.5 G13.5 B3	RGB
ZH03QA8	87*17.5*8.4	12V	3	0.96	R6 G11 B4 W20	RGBW

CLASSIC RGB/RGBW DIGITAL



Features

Powered by high output 5050 RGB LED.
Constant current.
Clear 160° optical lens.
20 pcs per string.



Application

Apply to 8–18 cm depth signs at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	Colors
ZH03QB5	87*17.5*8.2	12V	3	0.76	R5 G13 B3	RGB
ZH03QB8	87*17.5*8.2	12V	3	0.96	R6.5 G18 B3.8 W27.8	RGBW

EDGE LIGHTING SOLUTION



MATRIX CCT



Features

Powered by high output 3030 LED.
CCT tunable.
Constant voltage.
Batwing 160° optical lens.
20 pcs per string.



Application

Apply to 10–20 cm depth signs at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
ZF04QC1	92*88*8.6	24V	4	4	340	2700~6500

MATRIX PRIME



Features

Powered by SEOUL LED, INFINEON IC.
Constant current.
Low reflection 175° optical lens.
12 pcs per string.



Application

Apply to 10–20 cm depth light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT (K)
ZW03WB2	124*82*11	12V	3	7	600	7000

DIAMOND LED RIGID BARS



Features

Powered by high output SEOUL LED, INFINEON IC.
Constant current.
Batwing 170° optical lens.
Maximum running connection is 20/15/10/8 pcs.
Snap jumper connection.



Application

Apply to 6–15cm depth single-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT (K)
YF03LD1	213*20*8.5	24V	3	3	300	6500
YF06LD1	462*20*8.5	24V	6	6	600	6500
YF09LD1	711*20*8.5	24V	9	9	900	6500
YF12LD1	960*20*8.5	24V	12	9	1200	6500

Accessories




ROLLER LED BARS



Features

Powered by high output OSRAM LED.
Constant voltage.
Dome 170° optical lens.
10 pcs per roll.



Application

Apply to 3.5–10 cm depth single-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT(K)
YF06LA/C1–48–FO	480*17*7	12/24V	6	6	600	7000
YF12LA/C1–96–FO	960*17*7	12/24V	12	12	1200	7000

ROLLER LED BARS



Features

Powered by high output OSRAM LED.
Constant voltage.
Diamondback 170° optical lens.
10 pcs per roll.



Application

Apply to 4–15 cm depth single-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT(K)
YF06GA/C1–48–FO	480*20*10	12/24V	6	6	600	7000
YF12GA/C1–96–FO	960*20*10	12/24V	12	12	1200	7000


EDGE LIGHTING SOLUTION



SIDEPOD PRIME




SAMSUNG 10°40° 12/24V IP65 5 years



Features

Powered by high output SAMSUNG LED.
Constant current.
Elliptical 10x40° optical lens.
20/10 pcs per string.



Application

Light coverage: up to 2.5M.
Apply to 8–30 cm depth double-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT (K)
ZX01QB3	68*30*15	12/24V	1	2.5	260	7000
ZX03QB3	142*30*15	12/24V	3	6.5	780	7000

MATRIX TRACK




OSRAM 170° 24V IP65 5 years



Features

Powered by high output OSRAM LED, INFINEON IC.
Constant current.
Batwing 170° optical lens.
20 pcs per string.



Application

Apply to 12–30 cm depth double-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT (K)
ZR16QD1	160*42*12.7	24V	16	5	525	6500

Accessories



SIDELIT PRO



OSRAM 15°45° 24V IP33 5 years



Features

Powered by high output OSRAM LED, INFINEON IC.
Constant current.
Elliptical 15x45° optical lens.
15/10/7 pcs max in serial connection.
Seamless connection design for even light distribution.



Application

Light coverage: up to 2.5M.
Apply to 8–30 cm depth double-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT (K)
YX03DD8	210*25*15	24V	3	7.5	750	6500
YX05DD8	350*25*15	24V	5	12.5	1350	6500
YX06DD8	420*25*15	24V	6	15	1650	6500

Accessories



SIDEDLIT RANGE



CREE 8°15° 24V IP33 5 years



Features

Powered by high output CREE LED, INFINEON IC.
Constant current.
Elliptical 8x15° optical lens.
8 pcs max in serial connection.
Seamless connection design for even light distribution.



Application

Light coverage: up to 3M.
Apply to 8–15 cm depth double-sided light box or 6–12 cm depth single-sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/ pcs)	Lumen/lm	CCT (K)
YX09LD1	45*26*14	24V	9	21	1700	6500

Accessories



SIDELIT AC




OSRAM 10°45° AC110/220V IP60 3 years



Features

Powered by high output OSRAM LED, INFINEON IC.
Constant current.
Classical 10x45° optical lens.
20 pcs max in serial connection.
Fire resistance UL94–V0.



Application

Light coverage: up to 2.5M.
Apply to 10–30 cm depth double–sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
YX06KG2	495*32.4*23.3	AC110/220V	6	18	1450	6500


Accessories



SIDELIT PRIME




CREE 8°15° 24V IP20 5 years



Features

Powered by high output 3535 CREE LED, INFINEON IC.
Constant current.
Elliptical 8x15° optical lens.
3 pcs max in serial connection.



Application

Light coverage: up to 2.5M(YX15KD1), up to 3M(YX18KD1).
Apply to 10–18 cm depth double–sided light box at airports, metros, banks, buildings and shopping malls, etc.

Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/pcs	Power(W/pcs)	Lumen/lm	CCT(K)
YX15KD1	945*34*16	24V	15	30	2600	6500
YX18KD1	966*34*16	24V	18	36	2900	6500

Accessories





LED FLEX NEON SERIES

Covered by pure silicone, against yellowing.
Anti corrosion and resist to acids and bases.
Applicable for temperature range -50~200°C.
Highly flexible and easily to be shaped.
Lit with uniform illumination and no light spot.
Single bin supply, good color consistency.

SELF-ASSEMBLING LED FLEX NEON WITH SOLDERLESS LEAD CAP

60/120 LEDs/m

NEW



Features

CREE or OSRAM light source, Dow Corning silicone.
Glue free solderless end cap, unique crystal construction, IP67 rated.
Extremely easy to install, wide flexibility for DIY assembling.
High polymer material used, free from chemical qualifications.
Additional anti-dust process applied, delicate hand feeling.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/Colors	IP Grade
SE120JC3-H1616	5000*16*16	24V	120	9.6	5	2700-6500K	IP67
SH60JC3-H1616-Q	5000*16*16	24V	60	12	556	RGB	IP67

Accessories



360° EMITTING SILICONE LED FLEX NEON

288 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.
Unique optical light distribution structure design, 360° emitting uniform without shadow.
With integrated extrusion molding process, high light transmittance, environment–friendly silicone material.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE288JC3–025	5000*25*25	24V	288	10	750	2700–6500	IP65

Accessories



270° EMITTING SILICONE LED FLEX NEON

120 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.
Transparent mounting fixtures provided which is invisible from top view.
Unique optical distribution design, light emits evenly with high brightness.
Arc–shaped light–emitting surface, light–emitting angle 270°.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE120JC3–025	5000*25*27.2	24V	120	9.6	815	2700–6500	IP65

Accessories




MULTI-BENDABLE LED FLEX NEON

140 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.
The neon flex is multi-bendable from both directions.
light emits evenly, light-emitting angle 120°.
Environmentally friendly silicone material.



Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE140JC3-B1616	5000*16*16	24V	140	8.6	542	2700-6500	IP65

Accessories



MINI LED FLEX NEON

144 LEDs/m




Features

CREE or OSRAM light source, Dow Corning silicone.
Unique optical distribution design, side emitting light source.
Light-emitting angle 120°, light emits evenly with high brightness.
Environmentally friendly silicone material.

Application

Window display lighting, home decorative lighting, background lighting, the places that need linear lighting effect etc.



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE144JC3-N0408	5000*4*8	24V	144	6	190	2700-6500	IP65

Accessories



SILICONE LED FLEX NEON

120 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.
Unique optical distribution design, side emitting light source.
Light-emitting angle 120°, light emits evenly with high brightness.
Environmentally friendly silicone material.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE120JC3-D1225	5000*12*25	24V	120	9.6	413	2700-6500	IP65

Accessories



ULTRA-THIN LED FLEX NEON

256 LEDs/m




NEW

Features

CREE or OSRAM light source, Dow Corning silicone.
Ultra-thin neon flex, Suitable for narrow space illumination.
Pretty easy to hide the light engine. Smooth and gentle light output.
30% energy saving compare to competitors.

Application

Window display lighting, home decorative lighting, background lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SQ256JC3-N1006	5000*10*6	24V	256	10	850	2700-6500	IP65

Accessories



SILICONE LED FLEX NEON

120 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.
Unique optical distribution design. light emits evenly with high brightness.
Front emitting light source, Light-emitting angle 120°.
Environmentally friendly silicone material.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE120JC1-N1010	5000*10*10	24V	120	8.6	500	2700-6500	IP65

Accessories



SILICONE LED FLEX NEON

240 LEDs/m




Features

CREE or OSRAM light source, Dow Corning silicone.
Unique optical distribution design. light emits evenly with high brightness.
Front emitting light source, Light-emitting angle 120°.
Environmentally friendly silicone material.

Application

Home decorative lighting, landscape lighting, city lighting, the places that need linear lighting effect etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE240JA3-N3020	5000*30*20	12V	240	8.6	530	2700-6500	IP65

Accessories



FLEXIBLE LED WALL WASHER

60/120 LEDs/m



Features

- Revolutionary wall wash performance, giant improvement from a linear performance.
- Wall wash space: up to 1 meter.
- Multiple light-emitting angle: 30°/60°.
- Multiple colors: 2700K/3000K/3500K/4000K/5000K/6500K/RGB.
- Quick connection system with solderless accessories provided.

Application

Up to 1M decorative wall washing, wildly beneficial for lighting designs.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/Colors	IP Grade
SE120JC3-G1212	5000*12*12	24V	120	10	550	2700-6500	IP65
SH60JC3-G1212	5000*12*12	24V	60	12	700	2700-6500	IP65
SH60JC3-G1212-Q	5000*12*12	24V	60	12	R70 G200 B40	RGB	IP65

Accessories



FLEXIBLE LED WALL WASHER

24 LEDs/m




Features

- CREE or OSRAM light source, Dow Corning silicone.
- Unique heat dissipation aluminum components plus independent mainline, cascading up to 10m.
- Bidirectional bending design with multiple installation options and wide applicability.
- Integrated extrusion molding, customizable within 10m.
- Multiple light-emitting angle options: 20x55°/10x65°/35°.

Application

It is used for wall-washing lighting on building surfaces, and decorative lighting for indoor and outdoor special-shaped wall-washing.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/Colors	IP Grade
SF24JC3-N2523	1000*25*23	24V	24	24	1500	2700-6500	IP65
SF24JD3-N2523	1000*25*23	24V	24	24	1500	W-DMX	IP65
SF24JD3-N2523-Q	1000*25*23	24V	24	18	350	RGB-DMX	IP65
SH24JD3-N2523-QW	1000*25*23	24V	24	24	/	RGBW-DMX	IP65

Accessories



SCOB LED SERIES

Good flexibility, with wide beam angle 180°.

Light efficiency up to 110LM/W

CRI 80/90/95 available.

2700K/3000K/4000K/5000/6500K/R/G/B/Y/P/IB.



SCOB LED STRIPS

256 LEDs/m

NEW



Features

CREE or OSRAM light source, Dow Corning silicone.


Instead of chip on board, tiny surface mounting LEDs are used, no yellow halo from side view.

Reel to reel process, no soldering joints, stronger and looks nicer.

30% higher light efficiency than regular COB strips, more energy saving.

Application

Applicable for the light source of conventional linear lighting fixtures, such as commodity display lighting, home decoration lighting, auxiliary lighting, background lighting and recessed lighting, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SQ256LC2-08	5000*8	24V	256	10	1200	2700-6500	IP20

Accessories



HIGH EFFICACY LED STRIPS

90/180 LEDs/m
205 LM/W



Features

205Lm/W ultra-high efficacy, save 50% energy.
30Z Rolled Copper FPC for better extension and bendable.
SDCM≤3, 1 bin only.

Application

Linear lighting, city lighting, landscape lighting, commercial lighting and house contour lighting, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE90LC1-10	5000*10	24V	90	4.3	880	2700-6500	IP20
SE180LC1-10	5000*10	24V	180	8.6	1760	2700-6500	IP20

Accessories



HIGH EFFICACY PHILIPS LED STRIPS

64/128 LEDs/m
160 LM/W




Features

Powered by high output 2835 LUMILEDS LED.
160LM/W, ERP C-level energy consumption,
energy saving and cost effective.
SDCM≤3, 1 bin only.

Application

City lighting, landscape lighting, commercial lighting and house contour lighting, etc



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE64LCF-08	5000*8	24V	64	6	940	2700-6500	IP20
SE128LCF-10	5000*10	24V	128	9.6	1526	2700-6500	IP20

Accessories



24V 40M LONG RUN LED STRIPS

60 LEDs/m




Features

- CREE or OSRAM light source.
- SDCM≤3, 1 bin only.
- DC24V input with constant current design.

Application

City lighting, landscape lighting, commercial lighting and house contour lighting, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE60LD4-10	40000*10	24V	60	2.8	220	2700-6500	IP20

Accessories



48V 60M LONG RUN LED STRIPS

60 LEDs/m



Features

- CREE or OSRAM light source.
- SDCM≤3, 1 bin only.
- DC48V input with constant current design.

Application

City lighting, landscape lighting, commercial lighting and house contour lighting, etc



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE60LI1	60000*10	48V	60	4.3	280	2700-6500	IP20

Accessories



25M LONG RUN CCT TUNABLE LED STRIPS

130 LEDs/m



Features

Powered by high output OSRAM LED.
CRI 80/90/95 available.
SDCM ≤ 3, 1 bin only.
CCT tunable from 2700K–6500K.

Application

City lighting, landscape lighting, commercial lighting and house contour lighting, etc.



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE130LK1-10-DW	25000*10	48V	65+65	11+11	1265	2700~6500	IP20

Accessories



30M LONG RUN RGB LED STRIPS

60 LEDs/m



Features

Powered by high output 5050 LED.
Tc point is added, working temperature can be monitored.
Adopt Philips NXP IC, safe and reliable.

Application

City lighting, landscape lighting, commercial lighting and house contour lighting, etc



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	Colors	IP Grade
SH60LK1-12-Q	30000*10	48V	60	12	318	RGB	IP20

Accessories



RGBW
LED STRIPS
60 LEDs/m




Features

Powered by high output LUMILEDS 5050 RGBW LED.
3M 300LSE tape attached.

Application

Commercial lighting, decorative lighting, auxiliary lighting,
and slot lighting, etc.



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	Colors	IP Grade
SH60LC1-12-QW	5000*12	24V	60	14.4	RGBW	IP20

Accessories



5 IN 1 RGBWW
LED STRIPS
60 LEDs/m



Features

Powered by high output 5050 5 in 1 RGBWW LED.
RGBWW 5-in-1supper bright LED.
3M 300LSE tape attached.

Application

Commercial lighting, decorative lighting, auxiliary lighting,
and slot lighting, etc



Specifications

Part N0.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	Colors	IP Grade
SH60LC1-12-QCW	5000*12	24V	60	18	RGB+CCT	IP20

Accessories



SPI RGB LED STRIPS

60 LEDs/m



Features


5050 LED adopts external IC.

Lamp beads constant current IC control, long life, cost-effective.

Equipped with a variety of accessories , it is convenient to connect the LED strips without soldering wires, and the installation is efficient and fast.

Application

Commercial lighting, decorative lighting, auxiliary lighting, and slot lighting, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	Colors	IP Grade
SH60LD1-10-Q	5000*10	24V	60	12	RGB	IP20

Accessories



DMX512 RGB LED STRIPS

60 LEDs/m



Features

Compatible with DMX512(1990) protocol, High grayscale 65536 levels.

Control method: DMX512 control, differential parallel connection.

Equipped with a variety of accessories , it is convenient to connect the LED strips without soldering wires, and the installation is efficient and fast.

Application

Linear lighting, city lighting, landscape lighting, commercial lighting and house contour lighting, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	Colors	IP Grade
SH60LD1-12-Q	5000*12	24V	60	14.4	RGB	IP20

Accessories



HIGH VOLTAGE LED STRIPS

HIGH VOLTAGE LED STRIPS

120 LEDs/m



Features

CREE or OSRAM light source, Dow Corning silicone.

AC Input, could be directly connected to the power grid.

Built-in constant temperature and constant current protection for improved safety and better performance.

Aluminum Profile Installation could be used for better heat dissipation and reduced light decay, and thus extend the life span of the strip.

Application

Applicable for all kinds of indoor and outdoor lighting like corner decoration or contour lighting in buildings, shopping malls, cabinets, etc.



Specifications

Part NO.	Dimensions(mm)	Input Vol.	LED Qty/M	Power(W/M)	LM/M	CCT/K	IP Grade
SE120JGJ-10	5000*12	AC 220V	120	10	850	2700-6500	IP67

Accessories





Ceiling

Material: Aluminum, acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

● Black
Ref. 526219B01
Size: $\phi 745 \times 100$ mm
Power: 108W



Ceiling



Ceiling



Material:Aluminum,acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

○ White
Ref. 526225A01
Size:φ745*100mm
Power:150W

Material:Aluminum,acrylic
LED 2835 3000K CRI>80
Dimmable, 3 Ways

● Black
Ref. 526225B01
Size:φ745*100mm
Power:150W

Breeze



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Brushed aluminium
Ref. 414805A01
Size: L1087*W277*H1500
Power: 50W

Pendant



Pendant

Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Brushed aluminium
Ref. 414803A01
Size: $\Phi 435 \times H1500$
Power: 26W



Ceiling



Ceiling



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Brushed aluminium
Ref. 514803A04
Size: $\Phi 435 \times H230$
Power: 26W

Ceiling



Material: Aluminum, stainless steel, acrylic
LED 2835 3000K CRI>80

● Brush aluminum Dimmable
Ref. 514804A03
Size: 900*277*55mm
Power: 40W

Material: Aluminum, stainless steel, acrylic
LED 2835 3000K CRI>80

● Brush aluminum Dimmable
Ref. 514805A01
Size: 1090*277*55mm
Power: 48W

Floor



Material: Aluminum, stainless steel, acrylic
LED 2835 3000K CRI>80

● Stainless steel Dimmable
Ref. 214804A02
Size: Ø435*H1755mm
Power: 36W+6W

Flavour





Chandelier
Material:Iron, clear acrylic
LED 2835 3000K CRI>80

● Painting
Ref. 419824A01
Size:Φ600*H1500mm
Power:24*0.8W

● Chrome
Ref. 419824A02
Size:Φ600*H1500mm
Power:24*0.8W



Chandelier
Material:Iron, clear acrylic
LED 2835 3000K CRI>80

● Painting
Ref. 419845A02
Size:Φ970*H1500mm
Power:45*0.8W

● Chrome
Ref. 419845A01
Size:Φ970*H1500mm
Power:45*0.8W



Ceiling
Material:Iron, clear acrylic
LED 2835 3000K CRI>80

● Chrome
Ref. 519845A01
Size:Φ970*H750mm
Power:45*0.8W

● Painting
Ref. 519845A02
Size:Φ850*H460mm
Power:45*0.8W





Material:Iron, clear acrylic
LED 2835 3000K CRI>80

●Chrome
Ref. 419848A01
Size:1400*600*1500mm
Power:48*0.8W



Material:Iron, clear acrylic
LED 2835 3000K CRI>80

●Chrome
Ref. 219824A01
Size:Φ690*H1820mm
Power:24*0.8W

Cross



Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Gold
Ref. 447703A01
Size: $\Phi 500 \times H1500$
Power: 18W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

Sand white
Ref. 447703C01
Size: $\Phi 500 \times H1500$
Power: 18W

● Sand black
Ref. 447703D01
Size: $\Phi 500 \times H1500$
Power: 18W

Pendant



Material: Iron + Aluminum + acrylic
LED 2700K RA>90

● Rose gold
Ref. 447703B01
Size: $\Phi 500 \times H1500$
Power: 18W

Moonlight



Pendant

Material:Stainless steel,acrylic
LED 2835 3000K CRI>80

●Chrome
Ref. 419908A01
Size:1350*800*1500mm
Power:8*12W

Pendant



Material:Stainless steel,acrylic
LED 2835 3000K CRI>80

●Chrome
Ref.419901A01
Size:Φ200*H1500mm
Power:12W

●Chrome
Ref. 419901A02
Size:Φ300*H1500mm
Power:26W

●Chrome
Ref. 419901A03
Size:Φ400*H1500mm
Power:36W

Ceiling



Material:Stainless steel,acrylic
LED 2835 3000K CRI>80

●Chrome
Ref. 519901A01
Size:Φ300*H52mm
Power:30W

●Chrome
Ref. 519901A02
Size:Φ400*H52mm
Power:40W



Pendant
Material: Stainless steel, acrylic
LED 2835 3000K CRI>80

● Chrome
Ref. 419903A01
Size: 830*200*1500mm
Power: 3*12W



Pendant
Material: Stainless steel, acrylic
LED 2835 3000K CRI>80

● Chrome
Ref. 419904A01
Size: 1210*200*1500mm
Power: 4*15W

Duch



Chandelier
Material: Iron, clear acrylic
LED 2835 3000K CRI>80

● Gold
Ref. 416512A01
Size: Φ797*H622mm
Power: 12*4W

● Chrome
Ref. 416512A02
Size: Φ797*H622mm
Power: 12*4W



Chandelier
Material: Iron, clear acrylic
LED 2835 3000K CRI>80

● Gold
Ref. 416518A01
Size: Φ1016*H724mm
Power: 12*4W

● Chrome
Ref. 416518A02
Size: Φ1016*H724mm
Power: 18*4W



Chandelier
Material: Iron, clear acrylic
LED 2835 3000K CRI>80

● Gold
Ref. 416509A01
Size: Φ890*H598mm
Power: 9*4W



Ceiling
Material: Iron, clear acrylic
LED 2835 3000K CRI>80

● Chrome
Ref. 416509A02
Size: Φ890*H598mm
Power: 9*4W

Chandelier



Material:Iron, clear acrylic
LED 2835 3000K CRI>80

● Gold
Ref. 416524A01
Size:Φ1163*H859mm
Power:24*4W

● Chrome
Ref. 416524A02
Size:Φ1163*H859mm
Power:24*4W

Wall



Material:Iron, clear acrylic
LED 2835 3000K CRI>80

● Gold
Ref. 716503A01
Size:410*240*395mm
Power:3*4W

● Chrome
Ref. 716503A02
Size:410*240*395mm
Power:3*4W

Table



Material:Iron, clear acrylic
LED 2835 3000K CRI>80
Stepless dimming with memory function
Standby power <0.5W

● Gold
Ref. 116502A01
Size:460*160*607mm
Power:2*4W

● Chrome
Ref. 116502A02
Size:460*160*607mm
Power:2*4W

Floor



Material:Iron, clear acrylic
LED 2835 3000K CRI>80
Stepless dimming with memory function
Standby power <0.5W

● Gold
Ref. 216505A01
Size:470*295*1580mm
Power:5*4W

● Chrome
Ref. 216505A02
Size:470*295*1580mm
Power:5*4W

Gem



Ceiling



Material: Iron, ABS
LED 2835 3000K CRI>80

● Black+gold
Ref. 519116A01
Size: 780*480*85mm
Power: 16*5W

○ Matt black+Matt white
Ref. 519116A01
Size: 780*480*85mm
Power: 16*5W



Material:Iron,ABS
LED 2835 3000K CRI>80

●Black+gold
Ref. 519118A02
Size:Φ630*H85mm
Power:18*5W

Ceiling




Material:Iron,ABS
LED 2835 3000K CRI>80

●Black+gold
Ref. 519134A01
Size:960*780*85mm
Power:34*5W

案例赏析



上海 • 金普顿前滩酒店






Case appreciation













Case appreciation






Case appreciation











Case appreciation



Case appreciation






Case appreciation




SHERATON





中山市尼德灯饰有限公司(生产製作資料)


工程名稱:	安裝區域:	數量: 223支	顏色:	設計: 魏工	日期: 2022-6-11
生产工單號: 2206008-2	工廠型號:	規格: Ø280*H460mm	審核:	日期:	




参考彩图



俯视图



 尼 德		中山市尼德灯饰有限公司(生产製作資料)			
工程名称:	区域型号:	数量: 214支	颜色:	设计: 魏工	日期: 2022
生产单号: 2206008-1	工厂型号:	规格: L205*H195*H270mm		审核:	日期:




 尼 德	中山市尼德灯饰有限公司(生产製作資料)				
工程名稱:	區域型號:	數量: 223支	顏色:	設計-魏工	日期: 2022-06
生产工单號: 2206008-4	工廠型號:	規格: W180*H200*P90mm	審核:	日期:	








中山市尼德灯饰有限公司(生产製作資料)

工程名稱:	安裝區域:	數量: 115支	顏色:	設計: 魏工	日期: 2022-06-11
生产工單號: 2206008-3	工廠型號:	規格: Ø400*H1650MM	審核:	日期:	






Case appreciation












Case appreciation






Case appreciation








Case appreciation






中山市尼德灯饰有限公司 (生产製作資料)


工程名稱: 區域型號: 數量: 157支 顏色: 按去年打樣顏色 設計: 魏工 日期: 2021-03-09
生產工單號: 2103001-2-9-13 工廠型號: 規格: L280*W200*H320MM 審核: 日期:
備註: ▲: 附圖, ★: 修改, ◆: 增加



正視圖




側視圖



俯視圖




參考彩圖





中山市尼德灯饰有限公司 (生产製作資料)

工程名稱: 區域型號: 數量: 153支 顏色: 按去年打樣顏色 設計: 魏工 日期: 2021-03-09
生產工單號: 2103001-2 工廠型號: 規格: L270*W200*H200MM 審核: 日期:





中山市尼德灯饰有限公司 (生产製作資料)







工程名稱: 區域型號: 數量: 200支 顏色: 按去年打樣顏色 設計: 魏工 日期: 2021-03-09
生產工單號: 2103001-3-9-11 工廠型號: 規格: L100*W100*H100MM 審核: 日期:





Case appreciation







Case appreciation












Case appreciation





Case appreciation







Case appreciation






Case appreciation













尼德灯饰五金制作单										单号: 1704002	
数量(3) 颜色(玫瑰金) 下单日期() 交货期()											
型号: ND-1704002-02500*1500H600L40										3F宴会前厅	
序	直径	周长	孔数	孔距	用料	叉	备		注		
1.	2500*1500H60*10T1.5玫瑰金不锈钢盘1个边冲散热孔, 配柱板										
2.	Φ20*260清光尖梅花管312条, 两头切平										
3.	钢丝绳+Φ10清光水晶球 560串, 总长300										
4.	GL10灯头+叉架 40套										
5.	钢丝绳+Φ20*200清光尖梅花管240条, 两头切平, 总长115										
6.	钢丝绳+Φ10清光水晶球 492串, 总长430										
7.	钢丝绳+Φ10清光水晶球 76串, 总长430										
8.	钢丝绳+Φ20*200清光尖梅花管392条, 两头切平, 总长515, 瓶用茶色亚克力盘										
9.	钢丝绳+Φ10琥珀色水晶球 234串, 总长520										

日期: 2017.06.28



尼德灯饰五金制作单										单号: 1704003	
数量(3) 颜色(玫瑰金) 下单日期() 交货期()											
型号: ND-1704003-02500*1500H600L40										3F宴会前厅	
序	直径	周长	孔数	孔距	用料	叉	备		注		
1.	2500*1500H60*10T1.5玫瑰金不锈钢盘1个边冲散热孔, 配柱板										
2.	Φ20*260清光尖梅花管312条, 两头切平										
3.	钢丝绳+Φ10清光水晶球 560串, 总长300										
4.	GL10灯头+叉架 40套										
5.	钢丝绳+Φ20*200清光尖梅花管240条, 两头切平, 总长115										
6.	钢丝绳+Φ10清光水晶球 492串, 总长430										
7.	钢丝绳+Φ10清光水晶球 76串, 总长430										
8.	钢丝绳+Φ20*200清光尖梅花管392条, 两头切平, 总长515, 瓶用茶色亚克力盘										
9.	钢丝绳+Φ10琥珀色水晶球 234串, 总长520										

日期: 2017.06.28



TELEPHONE:

+ 86 (021) 623 318 29

MOBILE/ WHATSAPP / WECHAT:

+ 86 156 1897 7665

HEADQUARTERS:

WEST ZHONGSHAN ROAD 179, SECOND FLOOR,
ROOM 2P, CHANGNING DISTRICT, SHANGHAI, CHINA, 200051

EMAIL:

INFO@HAOFLEX.COM

WEB:

[HTTPS://WWW.HAOFLEX.COM/](https://www.haoflex.com/)